RESUME - RODNEY M. FELDMANN

Department of Geology, Kent State University, Kent, Ohio 44242 (office)

Phone
(330) 672-2506 (office)
(330) 672-7949 (FAX)
RFELDMAN@KENT.EDU (e-mail)

Education

1957-58 -	Massachusetts Institute of Technology
1961 -	University of the Pacific, Marine Biological Station
1961 -	B.S., University of North Dakota
1963 -	M.S., University of North Dakota
1967 -	Ph.D., University of North Dakota

Teaching and Administrative Experience (KSU)

1965-1967 - Instructor
1966-1968 - Assistant Dean, College of Arts and Sciences
1967-1971 - Assistant Professor
1971-1975 - Associate Professor
1975-2001 - Professor
1976-1999 - Assistant Chairman, Department of Geology
2001-Pres – Professor Emeritus
2002-2006 – Graduate Coordinator, Department of Geology
2006-Pres. – Curator of Paleontology, Department of Geology

Courses: Oceanography, Invertebrate paleontology, Paleoceanography, Micropaleontology, Systematic invertebrate paleontology, Paleoecology, Summer Field camp, Physical geology, Historical geology

Industrial and Governmental Experience

1953-1957 sum - North Dakota State Highway Department - surveying, materials analysis, and supervision of field laboratories.

1962-1965 sum - North Dakota State Geological Survey - geologic mapping and paleontologic investigation of Cretaceous rocks.

1975 - American Petroleum Institute - evaluation of coal, uranium, and oil shale in eleven states and inhibitions to their development imposed by the Clean Air Act.

1987-1991 - National Science Foundation, Division for Polar Programs - member of proposal review panels

1992-2000 - American Geophysical Union, Antarctic Research Series Editorial Board - member; Chairman, 1995-2000.

Published Papers

Feldmann, R.M., 1962, Oligocene fish on Sentinel Butte, North Dakota: North Dakota Quarterly, v. 30, p. 88-89.

Feldmann, R.M., 1963, Distribution of fish in the Forest River of North Dakota: North Dakota Academy of Sciences Proceedings, v. 17, p. 11-19.

Feldmann, R.M., 1964, Preliminary investigation of the paleontology and structure of Sibley Buttes, central North Dakota: Compass, v. 41, p. 129-135.

Feldmann, R.M., and others, 1964, Tentative key to the families of the Rugosa: Compass, v. 41, p. 136-140.

Feldmann, R.M., 1966, Stratigraphy and paleoecology of the Fox Hills Formation in Emmons County, North Dakota: North Dakota Quarterly, v. 34, p. 21-29.

Holland, F.D., Jr., and Feldmann, R.M., 1967, A new species of cassiduloid echinoid from the Fox Hills Formation (Upper Cretaceous) of North Dakota: Journal Paleontology, v. 41, p. 252-255.

Miller, B.B., and Feldmann, R.M., 1968, An integrated approach to teaching historical geology laboratories: Journal of Geological Education, v. 16, p. 43-46.

Miller, B.B., and Feldmann, R.M., 1968, Historical geology laboratory manual, 2nd edition: KSU Printing Service, Kent, Ohio, 93 p.

Feldmann, R.M., and Holland, F.D., Jr., 1968, Coccoliths from the Niobrara Formation (Upper Cretaceous) of eastern North Dakota: North Dakota Academy of Sciences Proceedings, v. 22, p. 104-110.

Feldmann, R.M., 1968, Color pattern on a Cretaceous tellinid bivalve: Journal of Paleontology, v. 42, p. 94-95.

Feldmann, R.M., and Frank, G.W., 1969, Geology and Sigma Gamma Epsilon at Kent State University: Compass, v. 46, p. 140-141.

Coogan, A.H., Feldmann, R.M., Frank, G.W., Miller, B.B., and Wittine, A.H., 1969, Introductory geology laboratory manual: KSU Printing Service, Kent, Ohio, 153 p.

Banks, P.O., and Feldmann, R.M., eds., 1970, Guide to the geology of northeastern Ohio: Northern Ohio Geological Society, Cleveland, Ohio, 168 p.

Cooper, M., Couri, C.C., Feldmann, R.M., Kay, T., Lahola, I., and Palubniak, D.S., 1971, A taxonomic key to the families of the Trilobita: Compass, v. 48, p. 68-74.

Feldmann, R.M., and Holland, F.D., Jr., 1971, Suggestions to authors of papers for the Compass of Sigma Gamma Epsilon: Compass, v. 48, p. 91-98.

Feldmann, R.M., and Holland, F.D., Jr., 1971, Lobsters from the Cannonball Formation (Paleocene) of North Dakota: Journal of Paleontology, v. 45, p. 838-843.

Feldmann, R.M., 1972, Stratigraphy and paleoecology of the Fox Hills Formation (Upper Cretaceous) of North Dakota: North Dakota Geological Survey Bulletin 61, 65 p.

Feldmann, R.M., 1972, First report of Hercoglossa ulrichi (White, 1882) (Cephalopoda: Nautilida) from the Cannonball Formation (Paleocene) of North Dakota, U.S.A.: Malacologia, v. 11, p. 407-413.

Heimlich, R.A., and Feldmann, R.M., eds., 1974, Selected field trips in northeastern Ohio: Ohio Div. Geol. Survey, Guidebook No. 2, 59 p.

Coogan, A.H., Feldmann, R.M., Szmuc, E.J., and Mrakovich, J.V., 1974, Sedimentary environments of the Lower Pennsylvanian Sharon Conglomerate near Akron, Ohio. In Heimlich, R.A., and Feldmann, R.M., eds., Selected field trips in northeastern Ohio: Ohio Division of Geological Survey, Guidebook No. 2, p. 19-41.

Feldmann, R.M., 1974, Hoploparia riddlensis, a new species of lobster (Decapoda: Nephropidae) from the Days Creek Formation (Hauterivian, Lower Cretaceous) of Oregon: Journal of Paleontology, v. 48, p. 586-593.

Feldmann, R.M., and Palubniak, D.S., 1975, Palaeoecology of Maestrichtian oyster assemblages in the Fox Hills Formation. In Caldwell, W.G.E., ed., Symposium on the Cretaceous System in the Mid-continent of North America: Geological Association of Canada Special Paper 13, p. 211-233.

Anderson, J.J., Palmer, D.F., and Feldmann, R.M., 1975, Reserve and resource data on coal, uranium and oil shale in the states of North Dakota, South Dakota, Montana, Wyoming, Colorado, Utah, Michigan, Ohio, Kentucky, Tennessee, and West Virginia: American Petroleum Institute: introduced into Congressional Record by presentation to U.S. Senate Subcommittee on Air and Water Pollution, Commission on Public Works, 104 p.

Anderson, J.J., Feldmann, R.M., and Palmer, D.F., 1975, A summary of reserve and resource data on coal, uranium and oil shale in the states of Michigan, Ohio, Kentucky, Tennessee, West Virginia, North Dakota, South Dakota, Montana, Wyoming, Colorado and Utah: American Petroleum Institute: incorporated in American Petroleum Institute et al., v. Environmental Protection Agency, U.S. Court of Appeals for the D.C. Circuit, No. 75-1665, 50 p.

Feldmann, R.M., and Kammer, T.W., 1976, Crassatellina hollandi, a new species of bivalve (Veneroida: Astartidae) from the Fox Hills Formation (Maestrichtian: Upper Cretaceous) of North Dakota and South Dakota: Journal of Paleontology, v. 50, p. 481-488.

Feldmann, R.M., Awotua, E.E., and Welshenbaugh, J., 1976, Necrocarcinus siouxensis, a new species of calappid crab (Crustacea: Decapoda) from the Fox Hills Formation (Cretaceous: Maestrichtian) of North Dakota: Journal of Paleontology, v. 50, p. 985-990.

Feldmann, R.M., Bishop, G.A., and Kammer, T.W., 1977, Macrurous decapods from the Bearpaw Shale (Cretaceous: Campanian) of north-eastern Montana: Journal of Paleontology, v. 51, p. 1161-1180.

Feldmann, R.M., Coogan, A.H., and Heimlich, R.A., 1977, Field guide: Southern Great Lakes: Kendall/Hunt Publishing Company, Dubuque, 240 p.

Feldmann, R.M., Osgood, R.G., Szmuc, E.J., and Meinke, D.W., 1978, Chagrinichnites brooksi, a new trace fossil of arthropod origin: Journal of Paleontology, v. 52, p. 287-294.

Feldmann, R.M., 1978, Memorial to Eugene J. Szmuc, 1927-1976: Geological Society of America Memorials, 2 p.

Feldmann, R.M., and West, R.W., 1978, Huhatanka, a new genus of lobster (Decapoda: Mecochiridae) from the Kiowa Formation (Cretaceous: Albian) of Kansas: Journal of Paleontology, v. 52, p. 1219-1226.

Schram, F.R., Feldmann, R.M., and Copeland, M.J., 1978, The Late Devonian Palaeopalaemonidae and the earliest decapod crustaceans: Journal of Paleontology, v. 52, p. 1375-1387.

Feldmann, R.M., 1979, Eryma forsteri, a new species of lobster (Decapoda) from the Jurassic (Callovian) of North America: American Museum Novitates, No. 2668, p. 1-6.

Beikirch, D.W., and Feldmann, R.M., 1980, Decapod crustaceans from the Pflugerville Member, Austin Formation (Late Cretaceous: Campanian) of Texas: Journal of Paleontology, v. 54, p. 309-324.

Feldmann, R.M., and McPherson, C.B., 1980, Fossil decapod crustaceans of Canada: Geological Survey of Canada,

Paper 79-16, 20 p.

Feldmann, R.M., and Heimlich, R.A., 1980, Field guide: The Black Hills: Kendall/Hunt Publishing Company, Dubuque, Iowa, 190p.

Feldmann, R.M., Biros, D., and Middleton, D., 1980, Tufa deposition along a highway embankment, Cuyahoga County, Ohio: Compass, v. 57, p. 82-88.

Feldmann, R.M., Geizer, H., and McCoy, D., 1980, A model of sequential land use planning of a sand and gravel pit, Portage County, Ohio: Compass, v. 57, p. 63-81.

Cuffey, R.J., Feldmann, R.M., and Pohlable, K.E., 1981, New Bryozoa from the Fox Hills Sandstone (Upper Cretaceous, Maestrichtian): Journal of Paleontology, v. 55, p. 401-409.

Feldmann, R.M., and Maxey, M.M., 1980, Raninella carlilensis, a new raninid crab from the Carlile Shale (Turonian) of Kansas: Journal of Paleontology, v. 54, p. 858-861.

Feldmann, R.M., and McKenzie, S., 1981, Echinocaris multispinosis, a new echinocarid (Phyllocarida) from the Chagrin Formation (Late Devonian) of Ohio: Journal of Paleontology, v. 55, p. 383-388.

Feldmann, R.M., Grande, L., Birkhimer, C.P., Hannibal, J.T., and McCoy, D.L., 1981, Decapod fauna of the Green River Formation (Eocene) of Wyoming: Journal of Paleontology, v. 55, p. 788-799.

Hannibal, J.T., and Feldmann, R.M., 1981, Systematics and functional morphology of oniscomorph millipedes (Arthropoda: Diplopoda) from the Carboniferous of North America: Journal of Paleontology, v. 55, p. 730-746.

Feldmann, R.M., 1981, Paleobiogeography of North American lobsters and shrimps (Crustacea, Decapoda): Geobios, v. 14, p. 449-468.

Feldmann, R.M., Biros, D.J., and Middleton, D.L., 1982, Tufa precipitation and its effect on drainage of interstate highways in northeastern Ohio: Association of Engineering Geologists Bulletin, v. 19, p. 347-370.

Feldmann, R.M., 1983, Invertebrate paleontology: Geotimes, v. 28, p. 26-27.

Feldmann, R.M., 1983, Theodore Roosevelt National Park. In Harris, A. and Tuttle, E., Geology of National Parks, Third Edition: Kendall/Hunt Publishing Company, Dubuque, p. 101-109.

Feldmann, R.M., 1983, Wind Cave National Park. In Harris, A., and Tuttle, E., Geology of National Parks, Third Edition: Kendall/Hunt Publishing Company, Dubuque, p. 496-502.

Hannibal, J.T., and Feldmann, R.M., 1983, Arthropod trace fossils, interpreted as echinocarid escape burrows, from the Chagrin Shale (Late Devonian) of Ohio: Journal of Paleontology, v. 57, p. 705-716.

Feldmann, R.M., 1984, Invertebrate paleontology reviewed for 1983: Geotimes, v. 29, p. 14-16.

Zinsmeister, W.J., and Feldmann, R.M., 1984, Cenozoic high latitude heterochroneity of Southern Hemisphere marine faunas: Science, v. 224, p. 281-283.

Feldmann, R.M., 1984, Seymour Island yields a rich fossil harvest: Geotimes, v. 29, p. 16-18.

Feldmann, R.M., 1984, Antarctic treasures found: Earth Science, v. 37, p. 22-24.

Feldmann, R.M., and Zinsmeister, W.J., 1984, First occurrence of fossil decapod crustaceans (Callianassidae) from the McMurdo Sound region, Antarctica: Journal of Paleontology, v. 58, p. 1041-1045.

Feldmann, R.M., and Zinsmeister, W.J., 1984, New fossil crabs (Decapoda: Brachyura) from the La Meseta Formation

(Eocene) of Antarctica: paleogeographic and biogeographic implications: Journal of Paleontology, v. 58, p. 1046-1061.

Babcock, L.E., and Feldmann, R.M., 1984, Mysterious fossils: Earth Science, v. 37, p. 16-17.

Feldmann, R.M., 1984, Haumuriaegla glaessneri n. gen. and sp. (Decapoda; Anomura; Aeglidae) from Haumurian (Late Cretaceous) rocks near Cheviot, New Zealand: New Zealand Journal of Geology and Geophysics, v. 27, p. 379-385.

Feldmann, R.M., 1985, Extinction hypotheses gave a focus in 1984: Geotimes, v. 30, p. 12-14.

Feldmann, R.M., and Hannibal, J.T., 1985, Fingerprinting fossils: Earth Science, v. 38, p. 14-15.

Hannibal, J.T., and Feldmann, R.M., 1985, Newberry's lobster...the earliest decapod: Explorer, v. 27, p. 10-12.

Hannibal, J.T., and Feldmann, R.M., 1985, A phyllocarid crustacean, Echinocaris auricula, from the Late Devonian of West Virginia: Kirtlandia, p. 22-26.

Weidner, W.E., and Feldmann, R.M., 1985, Paleoecological interpretation of echinocarid arthropod assemblages in the Late Devonian (Famennian) Chagrin Shale, northeastern Ohio: Journal of Paleontology, v. 59, p. 986-1004.

Bjerstedt, T.W., and Feldmann, R.M., 1985, Stromatoporoid paleosynecology in the Lucas Dolostone (Middle Devonian) on Kelleys Island, Ohio: Journal of Paleontology, v. 59, p. 1033-1061.

Feldmann, R.M., 1985, Decapod crustaceans from the Late Cretaceous and the Eocene of Seymour Island, Antarctic Peninsula: Antarctic Journal of the United States, v. 19, p. 4-5.

Feldmann, R.M., Babcock, L.E., Wilson, M.T., Stukel, D.J., II, and Bjerstedt, T.W., 1985, Invertebrate Paleontology Laboratory Manual: Kent State University Printing Service, Kent, Ohio: 140 p.

Factor, D.F., and Feldmann, R.M., 1985, Systematics and paleoecology of malacostracan arthropods in the Bear Gulch Limestone (Namurian) of central Montana: Annals of the Carnegie Museum, v. 54, art. 10, p. 319-356.

Feldmann, R.M., and Wiedman, L.A., 1986, A geologic mystery. Trace fossils in Antarctic rocks help paleontologists understand, and interpret for others, Earth's history: Earth Science, v. 38, p. 24- 26.

Feldmann, R.M., 1986, Invertebrate paleontology: Geotimes, v. 31, p. 33-34.

Feldmann, R.M., Hannibal, J.T., and Babcock, L.E., 1986, Fossil worms from the Devonian of North America (Sphenothallus) and Burma ("Vermes") previously identified as phyllocarid arthropods: Journal of Paleontology, v. 60, p. 341-346.

Feldmann, R.M., Boswell, R.M., and Kammer, T.W., 1986, Tropidocaris salsiusculus, a new rhinocaridid (Crustacea: Phyllocarida) from the Upper Devonian Hampshire Formation of West Virginia: Journal of Paleontology, v. 60, p. 379-383.

Feldmann, R.M., 1986, The stability of zoological nomenclature: Nature, v. 322, p. 120.

Feldmann, R.M., and Babcock, L.E., 1986, Exceptionally preserved conulariids from Ohio -- Reinterpretation of their anatomy: National Geographic Research, v. 2, p. 464-472.

Feldmann, R.M., 1986, Paleobiogeography of two decapod crustacean taxa in the Southern Hemisphere: global conclusions with sparse data. In Gore, R.H. and Heck, K.L., eds., Crustacean Biogeography: A.A. Balkema, Rotterdam, p. 5-20.

Babcock, L.E., and Feldmann, R.M., 1986, Devonian and Mississippian conulariids of North America. Part A. General description and Conularia: Annals of the Carnegie Museum, v. 55, p. 349-410.

Babcock, L.E., and Feldmann, R.M., 1986, Devonian and Mississippian conulariids of North America. Part B. Paraconularia, Reticulaconularia, new genus, and organisms rejected from Conulariida: Annals of the Carnegie Museum, v. 55, p. 411-479.

Babcock, L.E., and Feldmann, R.M., 1986, The phylum Conulariida. In Hoffman, A. and Nitecki, M.H., eds., Problematic Fossil Taxa: Oxford University Press, New York, p. 135-147.

Feldmann, R.M., 1987, Invertebrate paleontology: Geotimes, v. 32, p. 35.

Feldmann, R.M., guest editor, 1987, Paleoceanography of Paleozoic Midcontinental Seaways: Paleoceanography, v. 2, p. 119-248.

Feldmann, R.M., 1987, Paleoceanography of Paleozoic midcontinental seaways: Introduction: Paleoceanography, v. 2, p. 119-121.

Babcock, L.E., Feldmann, R.M., Wilson, M.T., and Suarez-Riglos, M., 1987, Devonian conulariids of Bolivia: National Geographic Research, v. 3, p. 210-231.

Babcock, L.E., Feldmann, R.M., and Wilson, M.T., 1987, Teratology and pathology of some Paleozoic conulariids: Lethaia, v. 20, p. 93-105.

Hannibal, J.T., and Feldmann, R.M., 1987, Echinocaris, a mid-Paleozoic crustacean: an annotated bibliography: Kirtlandia, p. 25-52.

Feldmann, R.M., and Hannibal, J.T., 1987, Chagrinichnites brooksi Feldmann, Osgood, Szmuc & Meinke, 1978 and Chagrinichnites osgoodi Hannibal & Feldmann, 1983 (trace fossils): proposed conservation: Bulletins of Zoological Nomenclature, v. 44, p. 97-98.

Feldmann, R.M., 1987, Review of "Decapod Crustacea of the Badenian" by Pal Muller: Journal of Crustacean Biology, v. 7, p. 780.

Feldmann, R.M., and Bjerstedt, T.W., 1987, Kelleys Island: giant glacial grooves and Devonian shelf carbonates in North-central Ohio. In Biggs, D.L., ed., Geological Society of America Centennial Field Guide - North-Central Section: Geological Society of America, p. 395-398.

Hannibal, J.T., and Feldmann, R.M., 1987, The Cuyahoga Valley National Recreation Area, Ohio: Devonian and Carboniferous clastic rocks. In Biggs, D.L., ed., Geological Society of America Centennial Field Guide - North-Central Section: Geological Society of America,
p. 403-406.

Tucker, A.B., Feldmann, R.M., Holland, F.D., Jr., and Brinster, K.F., 1987, Fossil crab (Decapoda: Brachyura) fauna from the Late Cretaceous (Campanian-Maastrichtian) Pierre Shale in Bowman County, North Dakota: Annals of the Carnegie Museum, v. 56, p. 275-288.

Feldmann, R.M., and Tshudy, D., 1987, Ultrastructure in cuticle from Hoploparia stokesi (Decapoda: Nephropidae) from the Lopez de Bertodano Formation (Late Cretaceous-Paleocene) of Seymour Island, Antarctica: Journal of Paleontology, v. 61, p. 1194-1203.

Feldmann, R.M., 1987, Review of "Fossil Invertebrates" by R.S. Boardman, A.H. Cheetham, and A.J. Rowell, eds.: Journal of Paleontology, v. 61, p. 1286-1288.

Babcock, L.E., Feldmann, R.M., Wilson, M.T., and Suarez-Riglos, M., 1987, Conulariids (Phylum Conulariida) from the Devonian of Bolivia: IV Congreso Latinoamericano de Paleontologia, Bolivia, v. 1, p. 201-215.

Feldmann, R.M., and Bearlin, R.K., 1988, Linuparus korura n. sp. (Decapoda: Palinura) from the Bortonian (Eocene) of New Zealand: Journal of Paleontology, v. 62, p. 245-250.

Feldmann, R.M., and Copeland, M.J., 1988, A new species of erymid lobster from Lower Jurassic strata (Sinemurian/Pliensbachian), Fernie Formation, southwestern Alberta: Geological Survey of Canada, Contributions to Canadian Paleontology, Bulletin 379, p. 93-101.

Feldmann, R.M., and Woodburne, M.O., eds., 1988, Geology and paleontology of Seymour Island, Antarctic Peninsula: Geological Society of America, Memoir 169, 566 p.

Tshudy, D.M., and Feldmann, R.M., 1988, Macruran decapods, and their epibionts, from the Lopez de Bertodano Formation (Upper Cretaceous), Seymour Island, Antarctica. In Feldmann, R.M. and Woodburne, M.O., eds., Geology and paleontology of Seymour Island, Antarctic Peninsula: Geological Society of America, Memoir 169, p. 291-301.

Wiedman, L.A., Feldmann, R.M., Lee, D.E., and Zinsmeister, W.A., 1988, Brachiopoda from the La Meseta Formation (Eocene), Seymour Island, Antarctica. In Feldmann, R.M., and Woodburne, M.O., eds., Geology and paleontology of Seymour Island, Antarctic Peninsula: Geological Society of America, Memoir 169, p. 449-457.

Zullo, V.A., Feldmann, R.M., and Wiedman, L.A., 1988, Balanomorph Cirripedia from the Eocene La Meseta Formation, Seymour Island, Antarctica. In Feldmann, R.M., and Woodburne, M.O., eds., Geology and paleontology of Seymour Island, Antarctic Peninsula: Geological Society of America, Memoir 169, p. 459-464.

Feldmann, R.M., and Wilson, M.T., 1988, Eocene decapod crustaceans from Antarctica. In Feldmann, R.M., and Woodburne, M.O., eds., Geology and paleontology of Seymour Island, Antarctic Peninsula: Geological Society of America, Memoir 169, p. 465-488.

Wiedman, L.A., and Feldmann, R.M., 1988, Ichnofossils, tubiform body fossils, and depositional environment of the La Meseta Formation (Eocene) of Antarctica. In Feldmann, R.M., and Woodburne, M.O., eds., Geology and paleontology of Seymour Island, Antarctic Peninsula: Geological Society of America, Memoir 169, p. 531-539.

Feldmann, R.M., 1988, Fossil lobsters from Seymour Island, Antarctica: Antarctic Journal of the United States, v. 22, p. 11-13.

Hannibal, J.T., and Feldmann, R.M., 1988, Millipeds from late Paleozoic limestones at Hamilton, Kansas: Kansas Geological Survey, Guidebook Series 6, p. 125-131.

Feldmann, R.M., 1989, Metanephrops jenkinsi n. sp. (Decapoda: Nephropidae) from the Cretaceous and Paleocene of Seymour Island, Antarctica: Journal of Paleontology, v. 63, p. 64-69.

Berglund, R.E., and Feldmann, R.M., 1989, A new crab, Rogueus orri n. gen. and sp. (Decapoda: Brachyura), from the Lookingglass Formation (Ulatisian Stage: lower middle Eocene) of southwestern Oregon: Journal of Paleontology, v. 63, p. 69-73.

Wieder, R.W., and Feldmann, R.M., 1989, Palaega goedertorum, a fossil isopod (Crustacea) from late Eocene to early Miocene rocks of Washington State: Journal of Paleontology, v. 63, p. 73-80.

Feldmann, R.M., 1989, Lyreidus alseanus Rathbun from the Paleogene of Washington and Oregon, U.S.A.: Annals of the Carnegie Museum, v. 58, art. 2, p. 61-70.

Feldmann, R.M., 1989, Review of "Palaeontological Results of the Polish Antarctic Expeditions. Part I" by Andrzej Gazdzicki, ed.: Quarterly Review of Biology, v. 64, p. 64-65.

Feldmann, R.M., Chapman, R.E., and Hannibal, J.T. (eds.), 1989, Paleotechniques: Paleontological Society Special Publication 4, 358 p.

Feldmann, R.M., 1989, Selection of appropriate preparation techniques. In Feldmann, R.M., Chapman, R.E., and Hannibal, J.T., eds., Paleotechniques: Paleontological Society Special Publication 4, p. 24-29.

Feldmann, R.M., 1989, Photographic procedures. In Feldmann, R.M., Chapman, R.E., and Hannibal, J.T., eds., Paleotechniques: Paleontological Society Special Publication 4, p. 336-341.

Feldmann, R.M., 1989, Whitening fossils for photographic purposes. In Feldmann, R.M., Chapman, R.E., and Hannibal, J.T., eds., Paleotechniques: Paleontological Society Special Publication 4, p. 342-346.

Feldmann, R.M., 1989, Preparation of stereoscopic photographs. In Feldmann, R.M., Chapman, R.E., and Hannibal, J.T., eds., Paleotechniques: Paleontological Society Special Publication 4, p. 347-350.

Feldmann, R.M., 1989, Preparation of paleontological plates. In Feldmann, R.M., Chapman, R.E., and Hannibal, J.T., eds., Paleotechniques: Paleontological Society Special Publications 4, p. 356-358.

Feldmann, R.M., 1989, Review of "Arctic Grail: The Quest for the North West Passage and the North Pole" by Pierre Berton: Explorer, v. 31, p. 22.

Tshudy, D.M., Feldmann, R.M., and Ward, P.D., 1989, Cephalopods: biasing agents in the preservation of lobsters: Journal of Paleontology, v. 63, p. 621-626.

Feldmann, R.M., 1989, Recent advances in the systematics and distribution of fossil lobsters from the Cretaceous and Paleocene of James Ross Basin, Antarctica: Antarctic Journal of the United States, v. 23, p. 40-41.

Feldmann, R.M., and Tshudy, D.M., 1989, Evolutionary patterns in macrurous decapod crustaceans from Cretaceous to early Cenozoic rocks of the James Ross Island region, Antarctica. In Crame, M.A., ed., Origins and Evolution of the Antarctic Biota, Geological Society Special Publication 47, p. 183-195.

Zinsmeister, W.J., Feldmann, R.M., Woodburne, M.O., and Elliot, D.H., 1989, Latest Cretaceous/earliest Tertiary transition on Seymour Island, Antarctica: Journal of Paleontology, v. 63, p. 731-738.

Feldmann, R.M., 1989, On the cost of journal subscriptions: Journal of Paleontology, v. 63, p. 958.

Feldmann, R.M., 1990, Theodore Roosevelt National Park, North Dakota. In Harris, A.G., and Tuttle, E., Geology of National Parks, Fourth Edition, Kendall/Hunt Publishing Company, Dubuque, Iowa, p. 124-131.

Feldmann, R.M., 1990, Wind Cave National Park, South Dakota. In Harris, A.G., and Tuttle, E., Geology of National Parks, Fourth Edition, Kendall/Hunt Publishing Company, Dubuque, Iowa, p. 159-166.

Feldmann, R.M., 1990, Paleoecology: Geotimes, v. 35, p. 33-34.

Feldmann, R.M., 1990, On impacts and extinction: Biological solutions to biological problems: Journal of Paleontology, v. 64, p. 151-154.

Tucker, A.B., and Feldmann, R.M., 1990, Fossil decapod crustaceans from the lower Tertiary of the Prince William Sound Region, Gulf of Alaska: Journal of Paleontology, v. 64, p. 409-427.

Schwimmer, B.A., and Feldmann, R.M., 1990, Stratigraphic distribution of Brachiopods and bivalves in the Upper Devonian (Famennian) Chagrin Shale in the Cuyahoga River Valley, northeast Ohio: Kirtlandia, p. 7-31.

Feldmann, R.M., 1990, Decapod crustacean paleobiogeography: Resolving the problem of small sample size. In Mikulic, D.G., ed., Arthropod Paleobiology: Paleontological Society Short Courses in Paleontology, Number 3, p. 303-315.

Feldmann, R.M., and Maxwell, P.A., 1990, Late Eocene decapod Crustacea from north Westland, South Island, New Zealand: Journal of Paleontology, v. 64, p. 779-797.

Feldmann, R.M., and Schloman, B.F., 1990, Preparation of term papers based upon a research-process model: Journal of Geological Education, v. 38, p. 393-398.

Feldmann, R.M., 1990, Eocene decapod crustacean faunas of New Zealand: Antarctic Journal of the United States, v. 24, p. 10-12.

Feldmann, R.M., Jagt, J.W.M., and Tshudy, D.M., 1990, Late Maastrichtian isopod and decapod Crustacea from Haccourt (Liege), northeastern Belgium: Mededelingen Rijks Geologische Dienst, v. 44, p. 23-35.

Feldmann, R.M., 1990, Comment on the proposed precedence of Bathynomus A. Milne Edwards, 1879 (Crustacea, Isopoda) over Palaega Woodward, 1870: Bulletins of Zoological Nomenclature, v. 47, p. 290-291.

Feldmann, R.M., 1991, Review of "Wild Ice: Antarctic Journeys" by R. Naveen, C. Monteath, T. De Ritm and N. Hibes: Explorer, v. 32, p. 7.

Feldmann, R.M., 1991, Decapod crustacean fauna from the Tapui Glauconitic Sandstone (Bortonian: middle Eocene) in the Waitaki valley, South Island, New Zealand: New Zealand Journal of Geology and Geophysics, v. 34, p. 17-22.

Feldmann, R.M., and Dhondt, A.V., 1991, The Van Straelen decapod collection, Institut Royal des Sciences Naturelles de Belgique, Bruxelles: Journal of Paleontology, v. 65, p. 514-515.

Vega, F.J., and Feldmann, R.M., 1991, Fossil crabs (Crustacea, Decapoda) from the Maastrichtian Difunta Group, northeastern Mexico: Annals of the Carnegie Museum, v. 60, p. 163-177.

Feldmann, R.M., Tucker, A.B., and Berglund, R.E., 1991, Fossil Crustaceans: Paleobathymetry of decapod crustaceans, Washington: National Geographic Research & Exploration, v. 7, p. 352-363.

Frye, C.J., and Feldmann, R.M., 1991, North American Late Devonian cephalopod aptychi: Kirtlandia, p. 49-71.

Feldmann, R.M., and Heimlich, R.A., 1991, The Department of Geology and Sigma Gamma Epsilon: Compass, v. 68, p. 1-3.

Feldmann, R.M., and May, W., 1991, Remarkable crayfish remains (Decapoda: Cambaridae) from Oklahoma -- evidence of predation: Journal of Paleontology, v. 65, p. 884-886.

Feldmann, R.M., and Chirino-Galvez, L., 1991, First fossils of the decapod crustacean Lyreidus found in South America: National Geographic Research & Exploration, v. 7, p. 496-497.

Feldmann, R.M., 1991, Review of "Solnhofen: A study in Mesozoic palaeontology" by K.W. Barthel, N.H.M. Swinburne, and S.C. Morris: Quarterly Review of Biology, v. 66, p. 483-484.

Feldmann, R.M., and Manning, R.B., 1992, Crisis in systematic biology in the "Age of Biodiversity": Journal of Paleontology, v. 66, p. 157-158.

Feldmann, R.M., 1992, Decapod crustaceans from James Ross Island, Antarctica: Antarctic Journal of the United States, v. 25, p. 45-46.

Vega, F.J., and Feldmann, R.M., 1992, Occurrence of Costacopluma (Decapoda: Brachyura: Retroplumidae) in the Maastrichtian of southern Mexico and its paleobiogeographic implications: Annals of the Carnegie Museum, v. 61, p. 133-152.

Feldmann, R.M., 1992, James Ross Basin Workshop. Antarctic Science, v. 4, p. 239-240.

Feldmann, R.M., Hannibal, J.T., Mullett, D.J., Schwimmer, B.A., Tshudy, D.M., Tucker, A.B., and Wieder, R.W., 1992, The Paleoecology of Echinocaris randallii Beecher from Drake Well, Titusville, Pennsylvania. In Erickson, J.M., and Hoganson, J.W., eds., Proceedings of the F.D. Holland, Jr., Geological Symposium: North Dakota Geological Survey Miscellaneous Series, p. 137-147.

Feldmann, R.M., and Keyes, I.W., 1992, Systematic and stratigraphic review with catalogue and locality index of the Mesozoic and Cenozoic decapod Crustacea of New Zealand: New Zealand Geological Survey Record 45, 73 p.

Feldmann, R.M., and Duncan, P.W., 1992, Eocene decapod crustaceans from Snowdrift Quarry, South Otago, New Zealand: New Zealand Journal of Geology and Geophysics, v. 35, no. 4, p. 455-461.

Feldmann, R.M., 1992, The genus Lyreidus de Haan, 1839 (Crustacea, Decapoda, Raninidae): systematics and biogeography: Journal of Paleontology, v. 66, no. 6, p. 943-957.

Wieder, R.W., and Feldmann, R.M., 1992, Mesozoic and Cenozoic fossil isopods of North America: Journal of Paleontology, v. 66, no. 6, p. 958-972.

Feldmann, R.M., Tshudy, D., and Thomson, M.R.A., 1993, Late Cretaceous and Paleocene decapod crustaceans from James Ross Basin, Antarctic Peninsula: The Paleontological Society Memoir 28, p. 1-41.

Feldmann, R.M., 1993, Additions to the fossil decapod crustacean fauna of New Zealand: New Zealand Journal of Geology and Geophysics, v. 36, no. 2, p. 201-211.

Feldmann, R.M., and McLay, C.M., 1993, Geological history of brachyuran decapods from New Zealand: Journal of Crustacean Biology, v. 13, no. 3, p. 443-455.

Feldmann, R.M., Chirino-Galvez, L., Mason, G.L., Anderson, J.L., Duncan, P.W., Ward, R.A., and Salem, D.R., 1993, Fossil Penaeidae (Crustacea: Decapoda) from the Loyola Formation, Ecuador: Annals of Carnegie Museum, v. 62, no. 3, p. 229-243.

Feldmann, R.M., 1993, Early geologic history of Lyreidus in Antarctica: Antarctic Journal of the United States, v. 27, no. 5, p. 19-20.

Filkorn, H.F., and Feldmann, R.M., 1993, Fossil corals from Seymour Island, Antarctica: Antarctic Journal of the United States, v. 27, no. 5, p. 20-21.

Schloman, B.F., and Feldmann, R.M., 1993, Developing information gathering skills in geology students through faculty-librarian collaboration: Science and Technology Libraries, v. 14, no. 2, p. 35-47.

Feldmann, R.M., 1994, Antarctomithrax thomsoni, a new genus and species of crab (Brachyura; Majidae) from the La Meseta Formation (Eocene) of Seymour Island, Antarctica: Journal of Paleontology, v. 68, no. 1, p. 174-176.

Feldmann, R.M., and Pole, M., 1994, A new species of Paranephrops White, 1842: a fossil freshwater crayfish (Decapoda: Parastacidae) from the Manuherikia Group (Miocene), Central Otago, New Zealand: New Zealand Journal of Geology and Geophysics, v. 37, p. 163-167.

Feldmann, R.M., 1994, The search for an extinction event, p. 467-486. In Rosenberg, G.D. and Wolberg, D.L., eds., Dino Fest: Proceedings of a Conference for the General Public, March 24-26, 1994, Paleontological Society, Special Publication #7, University of Tennessee Press, Knoxville, 502 p.

Feldmann, R.M., 1994, The future of paleontology: the threat of extinction, the joy of survival: Journal of Paleontology, v. 68, no. 4, p. 687-688.

Tucker, A.B., Feldmann, R.M., and Powell, C.L., II, 1994, Speocarcinus berglundi n. sp. (Decapoda: Brachyura), a new crab from the Imperial Formation (late Miocene-late Pliocene) of southern California: Journal of Paleontology, v. 68, no. 4, p. 800-807.

Feldmann, R.M., 1994, Fossil mole crabs from Late Cretaceous rocks on James Ross Island, Antarctic Peninsula: Antarctic Journal of the United States, v. 28, no. 5, p. 46-48.

Hannibal, J.T., Feldmann, R.M., and Rolfe, W.D.I., 1993(1994), Phyllocarid crustaceans from the Devonian of Bolivia.

In Suarez-Soruco, R., ed., Fosiles y Facies de Bolivia - Vol. II Invertebrados y Paleobotanica, Revista Técnica de YPFB, v. 13-14, nos. 1-4, p. 59-69.

Vega, F. J., Feldmann, R. M., and Davila-Alcocer, V. M., 1994, Cuticular structure in Costacopluma mexicana Vega and Perrilliat, from the Difunta Group (Maastrichtian) of northeastern Mexico, and its paleoenvironmental implications: Journal of Paleontology, v. 68, no. 5, p. 1074-1081.

Vega, F.J., Feldmann, R.M., and Sour-Tovar, F., 1995, Fossil crabs (Crustacea: Decapoda) from the Late Cretaceous Cárdenas Formation, east-central Mexico: Journal of Paleontology, v. 69, no. 2, p. 340-350.

Feldmann, R.M., Vega, F.J., Garcia-Barrera, P., Rico-Montiel, R., and Martínez López, L., 1995, A new species of Meyeria (Decapoda: Mecochiridae) from the San Juan Raya Formation (Aptian: Cretaceous), Puebla state, Mexico: Journal of Paleontology, v. 69, no. 2, p. 402-406.

Feldmann, R.M., and Martins-Neto, R. G., 1995, Costacopluma nordestina n. sp. (Decapoda; Retroplumidae) from the Maria Farinha Formation (Paleocene) of Brazil: Journal of Paleontology, v. 69, no. 3, p. 610-611.

Anderson, J.L., and Feldmann, R.M., 1995, Lobocarcinus lumacopius (Decapoda: Cancridae), a new species of cancrid crab from the Eocene of Fayum, Egypt: Journal of Paleontology, v. 69, no. 5, p. 922-932.

Feldmann, R.M., Casadío, S., Chirino-Gálvez, L., and Aguirre-Urreta, M., 1995, Fossil decapod crustaceans from the Jagüel and Roca Formations (Maastrichtian-Danian) of the Neuquén Basin, Argentina: The Paleontological Society Memoir 43, p. 1-22.

Vega, F.J., Feldmann, R.M., and J.L. Villalobos-Hiriart, 1995, Additions to the crustacean (Decapoda) fauna from the Portrerillos Formation (Late Cretaceous) in northeastern Mexico: Annals of Carnegie Museum, v. 64, no. 3, p. 239-249.

Feldmann, R.M., 1995, Paleobiogeography of Cretaceous and Paleogene decapods from the high southern latitudes: Antarctic Journal of the United States, v. 29, no. 5, p. 1-2.

McLay, C.L., Feldmann, R.M., and MacKinnon, D.I., 1995, New species of spider crabs from New Zealand, and a partial cladistic analysis of the genus Leptomithrax Miers, 1876 (Brachyura: Majidae): New Zealand Journal of Geology and Geophysics, v. 38, no. 3, p. 299-313.

Hannibal, J. T., and Feldmann, R. M., 1996, Caryocaris (Crustacea: Phyllocarida) from the Ordovician of the Cordillera Oriental of southern Bolivia: Kirtlandia, no. 49, p. 7-11.

Feldmann, R. M., Vega, F., Tucker, A. B., Garcia-Barrera, P., and Avendaño, J., 1996, The oldest record of Lophoranina (Decapoda: Raninidae) from the Late Cretaceous of Chiapas, Southeastern Mexico: Journal of Paleontology, v. 70, no. 2, p. 296-303.

Feldmann, R. M., MacKinnon, D. I., Endo, K., and Chirino-Gálvez, L., 1996, Pinnotheres laquei Sakai (Decapoda: Pinnotheridae), a tiny crab commensal within the brachiopod Laqueus rubellus (Sowerby) (Terebratulida: Laqueidae): Journal of Paleontology, v. 70, no. 2, p. 303-311.

Zinsmeister, W. J., and Feldmann, R. M., 1996, Chapter 12: Late Cretaceous faunal changes in the high southern latitudes: A harbinger of global biotic catastrophe? In MacLeod, N., and Keller, G., eds., Cretaceous-Tertiary Mass Extinctions: Biotic and Environmental Changes, W. W. Norton & Company, New York, p. 303-326.

Feldmann, R. M., 1997. Theodore Roosevelt National Park, p. 127-135. In Harris, A. G., Tuttle, E., and Tuttle, S. D., eds., Geology of National Parks, 5th Edition, Kendall/Hunt Publishing Company, 758 p.

Feldmann, R. M., 1997. Wind Cave National Park, p. 168-176. In Harris, A. G., Tuttle, E., and Tuttle, S. D., eds., Geology of National Parks, 5th Edition, Kendall/Hunt Publishing Company, 758 p.

Feldmann, R. M., Fernanda Rodríguez, M., Martínez, G. A., and Aguirre-Urreta, M., 1997, Costacopluma salamanca

new species (Decapoda, Retroplumidae) from the Salamanca Formation (Danian) of Patagonia, Argentina: Journal of Paleontology, v. 71, no. 1, p. 125-130.

Feldmann, R. M., and Quilty, P. G., 1997, First Pliocene decapod crustacean (Malacostraca: Palinuridae) from the Antarctic: Antarctic Science, v. 9, no. 1, p. 56-60.

Francis, J., and Feldmann, R. M., 1997, Antarctic fossil biotas through time: Terra Antarctica, v. 3, no. 1, p. 152-153.

Stilwell, J. D., Levy, R. H., Feldmann, R. M., and Harwood, D. M., 1997, On the rare occurrence of Eocene callianassid decapods (Arthropoda) preserved in their burrows, Mount Discovery, East Antarctica: Journal of Paleontology, v. 71, no. 2, p. 284-287.

Feldmann, R. M. (Editor), 1996 (1997), Fossils of Ohio: Ohio Division of Geological Survey, Bulletin 70, 577 p.

Feldmann, R. M., 1996 (1997), Chapter 1. Introduction. In Feldmann, R. M.(Editor), Fossils of Ohio, Ohio Division of Geological Survey, Bulletin 70, p. 1-25.

Feldmann, R. M., Smith, A. J., and Holland, F. D., Jr., 1996 (1997), Chapter 2, Preparation techniques. In Feldmann, R. M. (Editor), Fossils of Ohio, Ohio Division of Geological Survey, Bulletin 70, p. 26-30.

Schweitzer Hopkins, C., and Feldmann, R. M., 1997, Sexual dimorphism in fossil and extant species of Callianopsis de Saint Laurent: Journal of Crustacean Biology, v. 1 7, no. 2,
p. 236-252.

Vega, F. J., Feldmann, R. M., Ocampo, A. C., and Pope, K. O., 1997, A new species of Late Cretaceous crab (Brachyura: Carcineretidae) from Albion Island, Belize: Journal of Paleontology, v. 71, no. 4, p. 615-620.

Feldmann, R. M., and Ga□dzicki, A., 1997, A new species of Glyphea (Decapoda: Palinura) from the La Meseta Formation (Eocene) of Seymour Island, Antarctica: Acta Palaeontologica Polonica, v. 42, no. 3, p. 437-445.

Hannibal, J. T., and Feldmann, R. M., 1997, Phyllocarid crustaceans from a Middle Ordovician black shale within the Ames Structure, northwest Oklahoma: Oklahoma Geological Survey Circular 100, p. 370-373.

Feldmann, R. M., and Francis, J. E., 1997, Antarctic fossil biotas through time. In C. A. Ricci, ed., The Antarctic Region: Geological Evolution and Processes, Terra Antartica Publications, Siena, Italy, p. 975-976.

Feldmann, R. M., Aguirre-Urreta, M., Chirino-Gálvez, L., and Casadío, S., 1997, Paleobiogeography of Cretaceous and Tertiary decapod crustaceans from southern South America: the link with Antarctica. In Ricci, C.A., ed., The Antarctic Region: Geological Evolution and Processes, Terra Antartica Publications, Siena, Italy, p. 1007-1016.

Feldmann, R. M., Bice, K. L., Schweitzer Hopkins, C., Salva, E. W., and Pickford, K., 1998, Decapod crustaceans from the Eocene Castle Hayne Limestone, North Carolina: Paleoceanographic implications. The Paleontological Society Memoir 48,p.1-28.

Feldmann, R. M., Vega, F. J., Applegate, S. P., and Bishop, G. A., 1998, Early Cretaceous arthropods from the Tlayua Formation at Tepexi de Rodríguez, Puebla, México: Journal of Paleontology, v. 72, no. 1, p. 79-90.

Feldmann, R. M., and Ga□dzicki, A., 1998, Cuticular ultrastructure of fossil and living homolodromiid crabs (Decapoda: Brachyura): Acta Palaeontologica Polonica, v. 43, no. 1, p. 1-19.

Stanley, T. M., and Feldmann, R. M., 1998, Significance of nearshore trace-fossil assemblages of the Cambro-Ordovician Deadwood Formation and Aladdin Sandstone, South Dakota: Annals of Carnegie Museum, v. 67, no. 1, p. 1-51.

Feldmann, R. M., 1998, Paralomis debodeorum, a new species of decapod crustacean from the Miocene of New Zealand: first notice of the Lithodidae in the fossil record: New Zealand Journal of Geology and Geophysics, v.41, p.

35-38.

Feldmann, R. M., 1998, Parasitic castration of the crab, Tumidocarcinus giganteus Glaessner, from the Miocene of New Zealand: coevolution within the Crustacea: Journal of Paleontology, v. 72, no. 3, p. 493-498.

Bishop, G. A., Feldmann, R. M., and Vega, F., 1998, The Dakoticancridae (Decapoda, Brachyura) from the Late Cretaceous of North America and Mexico: Contributions to Zoology, v. 67, no. 4, p. 237-255.

Feldmann, R. M., Schloman, B. F., and Carney, J. S., 1998, The effects of videotaping and attendance incentives to enhance performance in a high-enrollment oceanography course: Journal of Geoscience Education, v. 46, p. 330-336.

Feldmann, R. M., and Crame, A., 1998, The significance of a new nephropid lobster from the Miocene of Antarctica: Palaeontology, v. 41, p. 807-814.

Schweitzer Hopkins, C., Salva, E. W., and Feldmann, R. M., 1999, Re-evaluation of the genus Xanthosia Bell, 1863 (Decapoda: Brachyura: Xanthidae) and description of two new species from the Cretaceous of Texas: Journal of Paleontology, v. 73, p. 77-90.

Feldmann, R. M., Villamil, T., and Kauffman, E. G., 1999, Decapod and stomatopod crustaceans from mass mortality Lagerstatten: Turonian (Cretaceous) of Colombia: Journal of Paleontology, v. 73, p. 91-101.

Feldmann, R. M., and Maxwell, P. A., 1999, A new species of glypheid lobster, Glyphea christeyi (Decapoda: Palinura), from the Eocene (Bortonian) Waihao Greensand, South Canterbury, New Zealand: New Zealand Journal of Geology and Geophysics, v. 42, p. 75-8.

Vega, F. J., Feldmann, R. M., Villalobos-Hiriart, J. L., and Gío-Argíez, R., 1999, A new decapod fauna from the Miocene Tuxpan Formation, eastern Mexico: Journal of Paleontology, v. 73, p. 407-413.

Schweitzer, C. E., and Feldmann, R. M., 1999, Fossil decapod crustaceans from the late Oligocene to early Miocene Pysht Formation and lat Eocene quimper Sandstone, Olympic Peninsula, Washington: Annals of Carnegie Museum, v. 68, p. 215-273.

Schweitzer, C. E., Feldmann, R. M., Tucker, A. B., and Berglund, R. E., 2000, Eocene decapod crustaceans from Pulali Point, Washington: Annals of Carnegie Museum, v. 69, p. 23-67.

Schweitzer, C. E., and Feldmann, R. M., 2000, New species of calappid crabs from western North America and reconsideration of the Calappidae sensu lato. Journal of Paleontology, v. 74. p. 230-246.

Stilwell, J. D., and Feldmann, R. M., 2000, Paleobiology and Paleoenvironments of Eocene Rocks, McMurdo Sound, East Antarctica: American Geophysical Union, Antarctic Research Series, Volume 76, 372 p.

Schweitzer, C. E., and Feldmann, R. M., 2000, Callichirus? symmetricus (Decapoda: Thalassinoidea) and associated burrows, Eocene, Antarctica, p. 335-348. In, Stilwell, J. D., and Feldmann, R. M., 2000, Paleobiology and Paleoenvironments of Eocene Rocks, McMurdo Sound, East Antarctica: American Geophysical Union, Antarctic Research Series, Volume 76, 372 p.

Casadío, S., Feldmann, R. M., and Foland, K. A., 2000, $^{40}Ar/^{39}Ar$ age and oxygen isotope temperature of the Centinela Formation, southwestern Argentina: An Eocene age for crustacean-rich "Patagonian" beds: Journal of South American Earth Sciences, v. 13, p. 123-132.

Schweitzer, C. E., and Feldmann, R. M., 2000, New fossil portunids from Washington, USA, and Argentina, and a re-evaluation of generic and family relationships within the Portunoidea Rafinesque, 1815 (Decapoda: Brachyura). Journal of Paleontology, v. 74, p. 636-653.

Sánchez-Villagra, M. R., Burnham, R. J., Campbell, D. C., Feldmann, R. M., Gaffney, E. S., Kay, R. F., Lozsán, R., Purdy, R., and Thewissen, J. G. M., 2000, A new near-shore marine fauna and flora from the early Neogene of

northwestern Venezuela: Journal of Paleontology, v. 74, p. 957-968.

Schweitzer, C. E., and Feldmann, R. M., 2000, Re-evaluation of the Cancridae Latreille, 1802 (Decapoda: Brachyura) including three new genera and three new species: Contributions to Zoology, v. 69, p. 223-250.

Schweitzer, C. E., and Feldmann, R. M., 2000, First notice of the Chirostylidae (Decapoda) in the fossil record and new Tertiary Galatheidae (Decapoda) from the Americas: Bulletin of the Mizunami Fossil Museum, no. 27, p. 147-165.

Vega, F. J., Feldmann, R. M., García-Barrera, P., Filkorn, H., Pimentel, F., and Avendaño, J., 2001, Maastrichtian Crustacea (Brachyura: Decapoda) from the Ocozocuautla Formation in Chiapas, Southeast Mexico. Journal of Paleontology, v. 75, p. 319-329.

Schweitzer, C. E., and Feldmann, R. M., 2001, Differentiation of the fossil Hexapodidae Miers, 1886 (Decapoda: Brachyura) from similar forms. Journal of Paleontology, v. 75, p. 330-345.

Salva, E. W., and Feldmann, R. M., 2001, Reevaluation of the Family Atelecyclidae (Decapoda: Brachyura). Kirtlandia, no. 52, p. 9-62.

Feldmann, R. M., 2001, Book Review, "Mountains of Madness, A scientist's Odyssey in Antarctica" by John Long: Palaeontologia Electronica.

Schweitzer, C. E., and Feldmann, R. M., 2002, New Cretaceous and Tertiary decapod crustaceans from western North America. Bulletin of the Mizunami Fossil Museum, no. 28, p. 173-210.

Vega, F. J., Cosma, T., Coutiño, M. A., Feldmann, R. M., Nyborg, T. G., Schweitzer, C. E., and Waugh, D. A., 2001, New middle Eocene decapods (Crustacea) from Chiapas, México: Journal of Paleontology, v. 75, p. 929-946.

Feldmann, R. M., 2002, Book Review, “Palaeontological Results of the Polish Antarctic Expeditions. Part III,” edited by A. Gaździcki: Polish Polar Research, v. 23, no. 1, p. 107-108..

Feldmann, R. M., Crisp, G., and Pirrie, D., 2002, A new species of glypheoid lobster, *Pseudoglyphea foersteri* (Decapoda: Astacidea: Mecochiridae) from the Lower Jurassic (Pliensbachian) of Raasay, Inner Hebrides, UK. Palaeontology, v. 45, no. 1, p. 23-32.

Haj, A. E., and Feldmann, R. M., 2002, Functional morphology and taxonomic significance of a novel cuticular structure in Cretaceous raninid crabs (Decapoda: Brachyura: Raninidae). Journal of Paleontology, v. 76, no. 3, p. 472-485.

Hotton, N., III, Feldmann, R. M., Hook, R. W., and Dimichele, W. A., 2002, Crustacean-bearing continental deposits in the Petrolia Formation (Leonardian Series, Lower Permian) of north-central Texas. Journal of Paleontology, v. 76, no 3, p. 486-494.

Feldmann, R. M., and Villamil, T. 2002. A new carcineretid crab (upper Turonian) of Colombia. Journal of Paleontology, v. 76, no. 4, p. 718-724.

Feldmann, R. M., and Saint Laurent, Michèle de, 2002, Glyphea foresti n. sp. (Decapoda) from the Cenomanian of Northern Territory, Australia. Crustaceana, v. 75, nos. 3-4, p. 359-373.

Schweitzer, C. E., and Feldmann, R. M. 2002. New Eocene decapods (Thalassinidea and Brachyura) from southern California. Journal of Crustacean Biology, v. 22, no. 4, p.938-967.

Schweitzer, C. E., Feldmann, R. M., Gonzáles-Barba, G, and Vega, F. J., 2002, New crabs from the Eocene and Oligocene of Baja California Sur, Mexico and an assessment of the evolutionary and paleobiogeograpahic implications of Mexican fossil decapods. The Paleontological Society Memoir 59, 43 p.

Feldmann, R. M., Schweitzer, C. E., and Marenssi, S. A., 2003, Decapod crustaceans from the Eocene La Meseta

Formation, Seymour Island, Antarctica: a model for preservation of decapods. Journal of the Geological Society, London, v. 160, p. 151-160.

Elliott, D. K., and Feldmann, R. M., 2003, Stratigraphic range determination for *Pseudoglyphea foersteri* Feldmann, Crisp and Pirrie 2002, from the Jurassic of Raasay. Scottish Journal of Geology, v. 39, no. 2, p. 185-188.

Schweitzer, C. E., Feldmann, R. M., Fam, J., Hessin, W. A., Hetrick, S. W., Nyborg, T. G., and Ross, R. L. M., 2003, Cretaceous and Eocene decapod crustaceans from southern Vancouver Island, British Columbia, Canada. National Research Council Research Press, Ottawa, 66 p.

Feldmann, R. M., 2003,The Decapoda: New initiatives and novel approaches. Journal of Paleontology, v. 77, p. 1021-1039.

Feldmann, R. M., 2003, Decapod crustaceans from the Puente Formation (late middle to early Late Miocene), California: A possible mass death. Bulletin of the Southern California Academy of Sciences, v. 102, p. 107-118.

Schweitzer, C. E., Nyborg, T. G., Feldmann, R. M., and Ross, R. L. M., 2004, Homolidae de Haan, 1839 and Homolodromiidae Alcock, 1900 (Crustacea: Decapoda: Brachyura) from the Pacific Northwest of North America and a reassessment of their fossil records. Journal of Paleontology, v. 78, p. 133-149.

Amati, L, Feldmann, R. M., and Zonneveld, J.-P., 2004, A new family of Triassic lobster (Decapoda: Astacidea) from British Columbia and its phylogenetic context. Journal of Paleontology, v. 78, p. 150-168.

Pirrie, D., Feldmann, R. M., and Buatois, L. A., 2004, A new decapod trackway from the Upper Cretaceous, James Ross Island, Antarctica. Palaeontology, v. 47, no. 1, p. 1-12.

Feldmann, R. M., Garassino, A. A., and Schweitzer, C. E., 2004, The presumed decapod, *Palaeopemphix* Gemmellaro, 1890, is a unique member of the Phyllocarida (Palaeopemphicida: Palaeopemphidae). Journal of Paleontology, v. 78, p. 340-348.

Feldmann, R. M., and Schweitzer, C. E., 2004, Decapod crustaceans from the lower Miocene of north-western Venezuela (Cerro la Cruz, Castillo Formation). Special Papers in Palaeontology, v. 71, p. 7-22.

Casadío, S., de Angeli, A., Feldmann, R. M., Garassino, A., Hetler, J. L., Parras, A., and Schweitzer C. E., 2004, New decapod crustaceans (Thalassinidea, Galatheoidea, Brachyura) from the middle Oligocene of Patagonia, Argentina. Annals of Carnegie Museum, v. 73, no. 2, p. 25-47.

Schweitzer, C. E., Feldmann, R. M., and Gingerich, P. D., 2004, New Decapoda (Crustacea) from the middle and late Eocene of Pakistan and a revision of *Lobonotus* A. Milne Edwards, 1864. Contributions from the Museum of Paleontology, 31(4):89-118.

Jakobsen, S. L., and Feldmann, R. M. 2004. Epibionts on *Dromiopsis rugosa* (Decapoda: Brachyura) from the late middle Danian limestones at Fakse Quarry, Denmark: novel preparation techniques yield amazing results. Journal of Paleontology, 78(5): 953-960.

Waugh, D. A., Feldmann, R. M., Crawford, R. S., Jakobsen, S. L., and Thomas, K. B. 2004. Epibiont preservational and observational bias in fossil marine decapods. Journal of Paleontology, 78(5): 961-972.

Schweigert, G., Feldmann, R. M., and Wulf, M. 2004. *Macroacaena franconica* n. sp. (Crustacea: Brachyura: Raninidae) from the Turonian of S Germany. Zitteliana, A44: 61-65.

Feldmann, R. M., and Heimlich, R. A. 2004. The Department of Geology and Sigma Gamma Epsilon at Kent State University. The Compass, 78(2): 18-20.

Schweitzer, C. E., Feldmann, R. M., Marenssi, S., and Waugh, D. A. 2005. Remarkably preserved annelid worms from the La Meseta Formation (Eocene), Seymour Island, Antarctica. Palaeontology, 48: 1-13.

Allen, J. G., and Feldmann, R. M. 2005. *Panduralimulus babcocki* n. gen. and sp., a new limulacean horseshoe crab from the Permian of Texas. Journal of Paleontology, 79:594-600.

Feldmann, R. M. 2005. Dedication to Frederick R. Schram. *In* S. Koenemann and R. A. Jenner, eds., Crustacea and Arthropod Relationships, Taylor & Francis, Boca Raton, Florida, p. ix.

Schweitzer, C. E., and Feldmann, R. M. 2005. Decapod crustaceans, the K/P event, and Palaeocene recovery. *In* S. Koenemann and R. A. Jenner, eds., Crustacea and Arthropod Relationships, Taylor & Francis, Boca Raton, Florida, p. 17-53.

Schweitzer, C. E., Ćosović, V., and Feldmann, R. M. 2005. *Harpactocarcinus* from the Eocene of Istria, Croatia, and the paleoecology of the Zanthopsidae Via, 1959 (Crustacea: Decapoda: Brachyura). Journal of Paleontology, v. 79, p. 663-669.

Tshudy, D., Donaldson, W. S., Collom, C., Feldmann, R. M., and Schweitzer, C. E., 2005, *Hoploparia albertaensis*, a new species of clawed lobster (Nephropidae) from the late Coniacian, shallow-marine Bad Heart Formation of northwestern Alberta, Canada. Journal of Paleontology, v. 79, no. 5, p. 961-968.

Feldmann, R. M., and Goolaerts, S., 2005. *Palaega rugosa*, a new species of fossil isopod (Crustacea) from Maastrichtian rocks of Tunisia. Journal of Paleontology, v. 79, no. 5, p. 1031-1035.

Feldmann, R. M., Schweitzer, C. E., and Encinas, A., 2005, New decapods from the Navidad Formation (Miocene) of Chile. Jounal of Crustacean Biology, v. 25, no. 3, p. 427-449.

Casadío, S., R. M. Feldmann, A. Parras, and C. E. Schweitzer, 2005, Miocene fossil Decapoda (Crustacea: Brachyura) from Patagonia, Argentina, and their paleoecological setting. Annals of Carnegie Museum, vol. 74, no. 3, p. 155-188.

Schweitzer, C. E., González-Barba, G., Feldmann, R. M., and Waugh, D. A., 2005, Decapoda (Thalassinidea and Paguroidea) from the Eocene Bateque and Tepetate Formations, Baja California Sur, México: Systematics, cuticle microstructure, and paleoecology. Annals of Carnegie Museum, vol. 74, no. 4, p. 275-293.

Cope, K. H., J. E. Utgaard, J. M. Masters, and R. M. Feldmann, 2005, The fauna of the Clayton Formation (Paleocene, Danian) of southern Illinois: a case of K/P survivorship and Danian recovery. Bulletin of the Mizunami Fossil Museum, no. 32, p. 97-108.

Feldmann, R. M., and C. E. Schweitzer. 2006. Paleobiogeography of Southern Hemisphere decapod Crustacea. Journal of Paleontology, v. 80, p. 83-103.

Feldmann, R. M., and A. L. Titus. 2006. *Eryma jungostrix* n. sp. (Decapoda: Erymidae) from the Redwater Shale Member of the Stump Formation (Jurassic; Oxfordian) of Utah. Journal of Crustacean Biology, v. 26, no. 1, p. 63-68.

Schweitzer, C. E., R. M. Feldmann, A. Encinas, and M. Suárez. 2006. New Cretaceous and Eocene Callianassoidea (Thalassinidea, Decapoda) from Algarrobo, Chile. Journal of Crustacean Biology, v. 26, no. 1, p. 73-81.

Patek, S. N., R. M. Feldmann, M. Porter, and D. Tshudy. 2006. Chapter 4: Phylogeny and Evolution, p. 113-145. *In* B. Phillips (ed.), Lobsters: Biology, Management, Aquaculture and Fisheries. Blackwell Publishing, Oxford, 506 p.

Cosovic, V., C. E. Schweitzer, V. P. Fucek, R. M. Feldmann, A. M. Shirk, and A. Moro. 2006 Orthophragminids and associated fossils in paleogeographic interpretation of transitional beds (Croatia). Anuário do Instituto de Geociências, v. 29, p. 647-648.

Waugh, D. A., R. M. Feldmann, A. M. Schroeder, and M. H. E. Mutel. 2006. Differential cuticle architecture and its preservation in fossil and extant *Callinectes* and *Scylla* claws. Journal of Crustacean Biology, v. 26, no. 3, p. 271-282.

Crawford, R. S., R. M. Feldmann, D. A. Waugh, B. M. Kelley, and J. G. Allen. 2006. Decapod crustaceans from the Maastrichtian Fox Hills Formation. Bulletin of the Peabody Museum of Natural History, v. 47, nos. 1-2, p. 3-28.

Feldmann, R. M., and S. Rust. 2006. *Palaega kakatahi* n. sp.: the first record of a marine fossil isopod from the Pliocene of New Zealand. New Zealand Journal of Geology and Geophysics, v. 49, p. 411-415.

Feldmann, R. M., C. E. Schweitzer, and D. McLauchlan. 2006. Additions to the records for decapod Crustacea from Motunau and Glenafric beaches, North Canterbury, New Zealand. New Zealand Journal of Geology and Geophysics, v. 49, p. 417-427.

Feldmann, R. M., I. Lazăr, and C. E. Schweitzer. 2006. New crabs (Decapoda: Brachyura: Prosopidae) from Jurassic (Oxfordian) sponge bioherms of Dobrogea, Romania. Bulletin of the Mizunami Fossil Museum, 33: 1-20.

Schweitzer, C. E., R. M. Feldmann, G. González-Barba, and V. Ćosović. 2006. New Decapoda (Anomura, Brachyura) from the Eocene Bateque and Tepetate formations, Baja California Sur, Mexico. Bulletin of the Mizunami Fossil Museum, 33: 21-45.

Conkle, L. N., C. E. Schweitzer, R. M. Feldmann, and R. B. Blodgett. 2006. A new species of *Tymolus* and a report on *Metacarcinus* (Crustacea: Decapoda: Brachyura) from the Miocene of Alaska. Bulletin of the Mizunami Fossil Museum, 33: 47-57.

Feldmann, R. M., and R. W. Portell. 2007. First report of *Costacopluma* Collins and Morris, 1975 (Decapoda: Brachyura: Retroplumidae) from the Eocene of Alabama, U.S.A. Journal of Crustacean Biology, 27: 90-96.

Feldmann, R. M., A. Kolahdouz, B. Biranvand, and G. Schweigert. 2007. A new family, genus, and species of lobster (Decapoda: Achelata) from the Gadvan Formation (Early Cretaceous) of Iran. Journal of Paleontology, 81: 405-407.

Garassino, A., R. M. Feldmann, and G. Teruzzi, eds. 2007. 3rd Symposium on Mesozoic and Cenozoic decapod crustaceans, Museo di Storia Naturale di Milano, May 23-25, 2007. Memorie della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano, 35(2): 1-104.

Schweitzer, C. E., R. M. Feldmann, G. González-Barba, and V. Ćosović. 2007. Decapod crustaceans (Brachyura) from the Eocene Tepetate Formation, Baja California Sur, Mexico. Annals of Carnegie Museum, 76: 1-14.

Schweitzer, C. E., R. M. Feldmann, and H. Karasawa. 2007. Revision of the Carcineretidae Beurlen, 1930 (Decapoda: Brachyura: Portunoidea) and remarks on the Portunidae Rafinesque, 1815. Annals of Carnegie Museum, 76: 15-37.

Feldmann, R. M., and C. E. Schweitzer. 2007. Sexual dimorphism in extinct and extant Raninidae (Decapoda: Brachyura). Annals of Carnegie Museum, 76: 39-52.

Feldmann, R. M., P. M. O'Connor, N. J. Stevens, M. D. Gottfried, E. M. Roberts, S. Ngasala, E. L. Rasmusson, and S. Kapilima. 2007. A new freshwater crab (Decapoda: Brachyura: Potamonautidae) from the Paleogene of Tanzania, Africa. Neues Jahrbuch für Geologie und Paaläontologie – Abhandlungen, 244: 71-78.

Schweitzer, C. E., R. M. Feldmann, and I. R. Lazăr. 2007. Decapods from Jurassic (Oxfordian) sponge megafacies of Dobrogea, Romania and reconsideration of *Nodoprosopon* Beurlen, 1928. Neues Jahrbuch für Geologie und Paaläontologie – Abhandlungen, 244: p. 99-113.

Feldmann, R. M., C. E. Schweitzer, C. M. Redman, N. J. Morris, and D. J. Ward. 2007. New Late Cretaceous lobsters from the Kyzylkum Desert of Uzbekistan. Journal of Paleontology, 81: 701-713.

Schweitzer, C. E., A. M. Shirk, V Ćosović, Y. Okan, R. M. Feldmann, and I. Hoşgör. 2007. New species of *Harpactocarcinus* from the Tethyan Eocene and their paleoecological setting. Journal of Paleontology, 81: 1091-1100.

Feldmann, R. M., F. J. Vega, L. Martinez-Lopez, K. A. González-Rodríguez, O. González-León, and M. D. R. Fernández-Barajas. 2007. Crustacea from the Muhi Quarry (Albian-Cenomanian), and a review of Aptian Mecochiridae (Astacidea) from Mexico. Annals of Carnegie Museum, 76: 145-156.

Feldmann, R. M., R.-Y. Li, and C. E. Schweitzer. 2008 [imprint 2007]. A new family, genus, and species of crab (Crustacea, Decapoda, Brachyura) from the Upper Cretaceous (Campanian) of Manitoba, Canada. Canadian Journal of Earth Sciences, 44: 1741-1752.

Feldmann, R. M., and J. W. Haggart. 2008 [imprint 2007]. A new species of lobster (Astacidea, Erymidae) from the Smithers Formation (Middle Jurassic) of British Columbia, Canada. Canadian Journal of Earth Sciences, 44: 1791-1796.

Schweitzer, C. E., and R. M. Feldmann. 2008 [imprint 2007]. A new classification for some Jurassic Brachyura (Crustacea: Decapoda: Brachyura: Homolodromioidea): families Goniodromitidae Beurlen, 1932 and Tanidromitidae new family. Senckenbergiana lethaea, 87: 119-156.

Karasawa, H., C. E. Schweitzer, and R. M. Feldmann. 2008. Revision of Portunoidea Rafinesque, 1815 (Decapoda: Brachyura) with emphasis on the fossil genera and families. Journal of Crustacean Biology, 28: 82-127.

Schweitzer, C. E., J. Velez-Juarbe, M. Martinez, A. C. Hull, R. M. Feldmann, and H. Santos. 2008. New Cretaceous and Cenozoic Decapoda (Crustacea: Thalassinidea, Brachyura) from Puerto Rico, United States Territory. Bulletin of the Mizunami Fossil Museum, no. 34: 1-15.

Feldmann, R. M., C. E. Schweitzer, P. A. Maxwell, and B. M. Kelley.2008. Fossil isopod and decapod crustaceans from the Kowai Formation (Pliocene) near Makikihi, South Canterbury, New Zealand. New Zealand Journal of Geology and Geophysics, 51: 43-58.

Feldmann, R. M., C. E. Schweitzer, and R. M. Green. 2008. Unusual Albian (Early Cretaceous) Brachyura (Homoloidea: Componocancroidea new superfamily) from Montana and Wyoming, U. S. A. Journal of Crustacean Biology, 28: 502-509.

Schweitzer, C. E., and R. M. Feldmann. 2008. New Eocene hydrocarbon seep decapod crustacean (Anomura: Galatheidae; Shinkaiinae) and its paleobiology. Journal of Paleontology, 82: 1021-1029.

Feldmann, R. M., C. E. Schweitzer, and W. R. Wahl. 2008. *Ekalakia* (Decapoda: Brachyura): The preservation of eyes links Cretaceous crabs to Jurassic ancestors. Journal of Paleontology, 82: 1030-1034.

Mutel, M. H. E., D. A. Waugh, R. M. Feldmann, and K. M. Parsons-Hubbard. 2008. Experimental taphonomy of *Callinectes sapidus* and cuticular controls on preservation. Palaios, 23: 615-623. Featured in BioOne, October, 2008.

Parras, A., M. Griffin, R. Feldmann, S. Casadío, C. Schweitzer, and S. Marenssi. 2008. Correlation of marine beds based on Sr- and Ar-date determinations and faunal affinities across the Paleogene/Neogene boundary in southern Patagonia, Argentina. Journal of Sout American Earth Sciences, 26: 204-216.

Papers Delivered

Holland, F.D., Jr., and Feldmann, R.M., 1963, Upper Cretaceous echinoids from North Dakota: N. Dakota Academy Sciences Proceedings, v. 17, p. 85-86.

Holland, F.D., Jr., and Feldmann, R.M., 1964, Lobsters from the Cannonball Formation (Paleocene) of North Dakota: Geological Society of America Spec. Paper 82, p. 94.

Feldmann, R.M., 1968, The paleoecology of the Fox Hills Formation (Upper Cretaceous) of south-central North Dakota: Geological Society of America Spec. Paper 121, p. 94-95.

Feldmann, R.M., and Palubniak, D.S., 1973, Paleoecology of Maestrichtian oyster assemblages in the Fox Hills Formation and its implication for the study of lagoonal and lagoonal-deltaic environments: Geological Association Canada Program and Abstracts,
p. 35-36.

Feldmann, R.M., and West, R.R., 1977, Decapod crustaceans from the Kiowa Formation (Comanchean) of central Kansas: Geological Society of America, Abstracts with Programs, v. 9, p. 594.

Feldmann, R.M., Schram, F.R., and Copeland, M.J., 1977, Palaeopalaemon newberryi, the earliest known (Late Devonian) decapod crustacean: Geological Society of America, Abstracts with Programs, v. 9, p. 973.

Mitchell, G.S., Trebonik, T.A., and Feldmann, R.M., 1978, Tufa deposits along highway embankments in northeastern Ohio: Geological Society of America, Abstracts with Programs, v. 10, p. 278-279.

Geizer, H.N., and Feldmann, R.M., 1979, A model for sand and gravel pit reclamation: Geological Society of America, Abstracts with Programs, v. 11, p. 14.

Feldmann, R.M., 1979, Internal skeletal anatomy of fossil and recent glypheid decapod crustaceans: Geological Society of America, Abstracts with Programs, v. 11, p. 424.

Hannibal, J.T., and Feldmann, R.M., 1980, Systematics and functional morphology of Amynilyspes (Arthopoda: Diplopoda) from the Carboniferous of North America: Geological Society of America, Abstracts with Programs, v. 12, p. 228.

Feldmann, R.M., 1980, Paleobiogeography of North American macrurous decapod crustaceans: Abstracts, 26th Int. Geological Congress, v. I, p. 163.

Feldmann, R.M., Biros, D.J., and Middleton, D.L., 1981, Geochemistry of a tufa deposit, Cuyahoga County, Ohio: Geological Society of America, Abstracts with Programs, v. 13, p. 278.

Feldmann, R.M., Middleton, D.L., and Biros, D.J., 1981, Effects of surficial geology and local groundwater on the precipitation of tufa along major interstate highways of northeastern Ohio: Geological Society of America, Abstracts with Programs, v. 13, p. 278.

Hannibal, J.T., and Feldmann, R.M., 1981, Arthropod trace fossils, interpreted as echinocarid escape burrows, from the Chagrin Formation (Late Devonian) of Ohio: Geological Society of America, Abstracts with Programs, v. 13, p. 467.

Bjerstedt, T.W., and Feldmann, R.M., 1983, Paleoenvironmental controls on stromatoporoid growth forms in the carbonate rocks on Kelleys Island, Ohio: Geological Society of America, Abstracts with Programs, v. 15, p. 225.

Weidner, W.E., and Feldmann, R.M., 1983, Paleoecological interpretation of echinocarid arthropod assemblages in the Late Devonian Chagrin Shale, northeast Ohio: Geological Society of America, Abstracts with Programs, v. 15, p. 248, 249.

Feldmann, R.M. and Zinsmeister, W.J., 1983, New crabs from La Meseta Formation (Eocene) of Antarctica; biogeography and paleoecology: Geological Society of America, Abstracts with Programs, v. 15, p. 571.

Feldmann, R.M., 1983, Paleobiogeography of decapod crustaceans in the southern hemisphere: Global conclusions with sparse data: Symposium on Biogeography of Crustacea, American Society Zoologists Annual Meeting.

Feldmann, R.M., 1984, Functional morphological analysis of fossil Lyreidus sp. (Crustacea, Decapoda, Raninidae) from New Zealand and Antarctica: 27th International Geological Congress, Abstracts, v. 1, p. 257-258.

Feldmann, R.M., and Zinsmeister, W.J., 1984, Tolerance of seasonality as a key to dispersal opportunism: Examples from the Eocene of Antarctica: Geological Society of America, Abstracts with Programs, v. 16, p. 507.

Zinsmeister, W.M., and Feldmann, R.M., 1984, Role of high latitude heterochroneity in the evolution of modern marine faunas: Geological Society of America, Abstracts with Programs, v. 16, p. 705.

Feldmann, R.M., and Hannibal, J.T., 1985, Paleobiogeography of Echinocaris: Geological Society of America, Abstracts with Programs, v. 17, p. 287.

Wiedman, L.A., and Feldmann, R.M., 1985, Ichnofossils and depositional environment of the La Meseta Formation (Eocene) of Antarctica: Geological Society of America, Abstracts with Programs, v. 17, p. 331.

Feldmann, R.M., Wiedman, L.A., and Zinsmeister, W.J., 1985, Fauna and paleoecological setting of the La Meseta Formation (Eocene), Antarctica: Geological Society of America, Abstracts with Programs, v. 17, p. 580.

Feldmann, R.M., 1986, Eocene decapod crustaceans from Antarctica: ecological and biogeographic pioneers: New Zealand Geological Survey, Hornibrook Symposium, Extended Abstracts, p. 44-46.

Feldmann, R.M., 1986, Paleoecology of decapod crustaceans from the La Meseta Formation (Eocene) of Seymour Island, Antarctica: Fourth North American Paleontological Convention, Abstracts with Programs, p. 15.

Hannibal, J.T., and Feldmann, R.M., 1986, Late Devonian Crustacea, Palaeopalaemon newberryi and Concavicaris sp., from the Chagrin Shale of northeastern Ohio and Alfred Shale of western New York state: Geological Society of America, Abstracts with Programs, v. 18, p. 291.

Tshudy, D.M., and Feldmann, R.M., 1986, Macrurous decapod crustaceans from the Lopez de Bertodano Formation (Late Cretaceous), Seymour Island, Antarctica: Geological Society of America, Abstracts with Programs, v. 18, p. 328.

Wiedman, L.A., and Feldmann, R.M., 1986, Antarctic Eocene marine macroinvertebrates: ecological pioneers: Geological Society of America, Abstracts with Programs, v. 18, p. 331.

Wilson, M.T., and Feldmann, R.M., 1986, Comparative functional morphology of fossil and Recent species of the brachyuran decapod genus Lyreidus: Geological Society of America, Abstracts with Programs, v. 18, p. 331.

Tshudy, D.M., and Feldmann, R.M., 1987, Taphonomy of decapods from the Lopez de Bertodano Formation (Cretaceous), Antarctic Peninsula: Geological Society of America, Abstracts with Programs, v. 19, p. 249-250.

Babcock, L.E., Feldmann, R.M., Wilson, M.T., and Suarez-Riglos, M., 1987, Conulariids (Phylum Conulariida) from the Devonian of Bolivia: IV Congreso Latinoamericano de Paleontologia.

Schwimmer, B.A., Hannibal, J.T., Feldmann, R.M., and Stukel, D.J., II, 1987, The paleontology and depositional environment of the Chagrin Shale (Famennian) in northeastern Ohio: Second International Symposium, on the Devonian System, Program and Abstracts, p. 204.

Feldmann, R.M., Zinsmeister, W.J., and Woodburne, M.O., 1987, Paleoceanography of the La Meseta Formation (Eocene) of Antarctica: 5th International Symposium on Antarctic Earth Sciences, Abstracts, p. 43.

Hannibal, J.T., and Feldmann, R.M., 1987, Phyllocarid arthropods from the Devonian of Bolivia: Geological Society of America, Abstracts with Programs, v. 19, p. 692.

Zinsmeister, W.J., Feldmann, R.M., Woodburne, M.O., Kooser, M.A., Askin, R.A., and Elliot, D.E., 1987, Faunal transitions across the K/T boundary in Antarctica: Geological Society of America, Abstracts with Programs, v. 19, p. 906.

Hannibal, J.T., and Feldmann, R.M., 1988, Myriapods from Late Paleozoic limestones at Hamilton, Kansas: Geological Society of America, Abstracts with Programs, v. 20, p. 101.

Schwimmer, B.A., Hannibal, J.T., Feldmann, R.M., and Stukel, D.J., III, 1988, The paleontology and depositional environment of the Chagrin Shale (Famennian) in northeastern Ohio: Nineteenth Annual Appalachian Petroleum Geology Symposium, Abstracts, p. 47.

Hannibal, J.T., and Feldmann, R.M., 1988, Paleobiology of Echinocaris: Geological Society of America, Abstracts with Program, v. 20, p. 346.

Tucker, A.B., and Feldmann, R.M., 1988, Fossil decapod fauna from the lower Tertiary of the Prince William Sound region, Gulf of Alaska: Geological Society of America, Abstracts with Program, v. 20, p. 392.

Wieder, R.W., and Feldmann, R.M., 1988, Fossil isopods from the Twin River Group (late Eocene-Oligocene) of Washington State: Geological Society of America, Abstracts with Program, v. 20, p. 394.

Feldmann, R.M., and Tshudy, D.M., 1988, Macrurous decapod crustaceans from early Campanian to Paleocene rocks of James Ross Basin, Antarctica: Geological Society - Origins and Evolution of the Antarctic Biota, Abstracts Volume, p. 13.

Tshudy, D.M., Feldmann, R.M., and Ward, P.D., 1988, Scavenging of lobster remains by Nautilus, and its taphonomic implications: Geological Society of America, Abstracts with Program, v. 20, p. A341.

Feldmann, R.M., Hannibal, J.T., Mullett, D.J., Schwimmer, B.A., Tshudy, D., Tucker, A.B., and Wieder, R.W., 1989, The paleoecology of Echinocaris randallii Beecher from the vicinity of Drake's Well, Titusville, Pennsylvania: Frank D. Holland, Jr., Symposium, Program and Abstracts, p. 10.

Feldmann, R.M., and Maxwell, P.A., 1989, Late Eocene decapod Crustacea from North Westland, South Island, New Zealand: Geological Society of America, Abstracts with Program, v. 21, p. A72.

Feldmann, R.M., 1990, Paleobiogeographic evidence for the evolutionary history of Lyreidus: International Crustacean Conference, Abstracts with Program, p. 39.

Feldmann, R.M., and Tshudy, D.M., 1990, Elongate claws in decapod crustacean taxa: preadaptation to scavenging in aphotic habitats: Geological Society of America, Abstracts with Programs, v. 22, p. 10.

Hannibal, J.T., Rolfe, W.D.I., and Feldmann, R.M., 1990, Claws: elongate, toothed arthropod rami from Paleozoic rocks referred to Angustidontus, Palaeopalaemon, and Pterygotus: Geological Society of America, Abstracts with Programs, v. 22, p. 12.

Tucker, A.B., and Feldmann, R.M., 1990, Deep-water decapod crustaceans from the Twin River Group (Late Eocene-Early Miocene) of Washington: Geological Society of America, Abstracts with Programs, v. 22, p. 47.

Schwimmer, B.A., and Feldmann, R.M., 1990, Comparative anatomy, shell microstructure, and ecology of Paleogene and Recent lingulid brachiopods: Geological Society of America, Abstracts with Program, v. 22, p. A35.

Feldmann, R.M., and Schloman, B.F., 1990, Preparation of term papers based upon a research process model: Geological Society of America, Abstracts with Programs, v. 22, p. A287.

Feldmann, R.M., 1990, Decapod crustacean paleobiogeography: resolving the problem of small sample size: Paleontological Society Short Course on Arthropods, n. 3, p. 303.

Feldmann, R.M., and Thomson, M.R.A., 1991, Functional morphology of rare Cretaceous anomuran decapods from James Ross Island, Antarctica: giant "mole crabs": Geological Society of America, Abstracts with Program, v. 23, p. 404-405.

Tshudy, D.M., and Feldmann, R.M., 1991, Rates and modes of evolution in Late Cretaceous - Paleocene nephropid lobsters (Crustacea: Decapoda) from the James Ross Basin, Antarctica: Geological Society of America, Abstracts with Program, v. 23, p. 405.

Chirino-Galvez, L., and Feldmann, R.M., 1992, Biogeography of Cenozoic brachyurans from southern South America: Summer Meeting of the Crustacean Society, p. 13.

Feldmann, R.M., and Mclay, C.L., 1992, Geological history of brachyuran decapod crustaceans from New Zealand: Geological Society of America, Abstracts with Program, v. 24, no. 7, p. A226.

Feldmann, R.M., Williams, M.E., and Zinsmeister, W.J., 1993, The Cretaceous/Tertiary boundary event: Evidence from the fossil record (abs.): Sociedad Mexicana de Paleontologia, A.C. IV Congreso Nacional de Paleontologia, Resumenes, p. 128-129.

Zinsmeister, W.J., and Feldmann, R.M., 1993, Late Cretaceous faunal changes in the high southern latitudes: A harbinger of impending global biotic catastrophe? (abs.): Geological Society of America, Abstracts with Program, v. 25, no. 6, p. A-295.

Tucker, A.B., Feldmann, R.M., and Shiozawa, L., 1993, Applications of a PC hypertext system to the study of the Raninidae (Crustacea: Decapoda) (abs.): Geological Society of America, Abstracts with Program, v. 25, no. 6, p. A-58-A-59.

Feldmann, R.M., 1993, The future of Paleontology -- the threat of extinction, the joy of survival: Paleontological Society Presidential Address, October 26, 1993.

Zinsmeister, W.J., and Feldmann, R.M., 1994, Antarctica, the forgotten stepchild: A view of KT extinction from the high southern latitudes: New Developments Regarding the KT Event and Other Catastrophes in Earth History, Lunal and Planetary Institute, Contribution no. 825, p. 134-135.

Feldmann, R.M., and Chirino-Gálvez, L., 1994, Paleobiogeography of Cretaceous and Paleogene decapods from the high southern latitudes: 7th Congreso Geologico Chileno, Universidad de Concepción, Actas Volumen II, p. 1671-1673.

Tucker, A.B., Berglund, R.E., and Feldmann, R.M., 1994, Deep-water decapod crustaceans from the Aldwell Formation (Middle Eocene) at Pulali Point, Jefferson County, Washington: Geological Society of America, Abstracts with Program, v. 26, no. 7, p. A-56.

Chirino-Gálvez, L., and Feldmann, R.M., 1994, Paleobiogeography of Cretaceous and Paleogene crustaceans in high southern latitudes. Geological Society of America, Abstracts with Program, v. 26, no. 7, p. A-488.

Hannibal, J.T., and Feldmann, R.M., 1995, Phyllocarid crustaceans from the ?Oil Creek Shale (Ordovician), within the Ames structure, northwest Oklahoma: Oklahoma Geological Survey and U.S. Department of Energy, Ames Structure and Similar Features - A Workshop - Abstracts, p. 33.

Feldmann, R.M., MacKinnon, D.I., Endo, K., and Chirino-Galvez, L., 1995, Pinnotheres laquei Sakai, a tiny crab commensal within the brachiopod Laqueus rubellus (Sowerby): Geological Society of America, Abstracts with Program, v. 27, no. 3, p. 49.

Stanley, T.M., and Feldmann, R.M., 1995, Paleoenvironmental significance of nearshore trace fossil assemblages of the Deadwood Formation and Aladdin Sandstone (Upper Cambrian-Lower Ordovician) northern Black Hills, South Dakota: Geological Society of America, Abstracts with Program, v. 27, no. 3, p. 87.

Feldmann, R.M., Aguirre-Urreta, M., Chirino-Gálvez, L., and Casadío, S., 1995, Paleobiogeography of Cretaceous and Paleogene decapod crustaceans from southern South America: The link with Antarctica: VII International Symposium on Antarctic Earth Sciences, 10-15 September 1995, Siena, Italy, Abstracts, p. 126.

Feldmann, R.M., Vega, F., and Applegate, S.P., 1995, Early Cretaceous arthropods from Tepexi de Rodriguez, Puebla, Mexico: A Solnhofen-type lithographic limestone: Geological Society of America, Abstracts with Program, v. 27, no. 6, p. A-51.

Feldmann, R.M., Vega, F., and Tucker, A.B., 1995. Evolutionary and paleoecological implications of the earliest Lophoranina (Decapoda: Raninidae) from the Late Cretaceous of Mexico: Geological Society of America, Abstracts with Program, v. 27, no. 6, p. A-51-A-52.

Salva, E.W., Schweitzer-Hopkins, C.E., and Feldmann, R.M., 1995. Paleoceanography of decapod-rich rocks of the Castle Hayne Formation (Eocene) of North Carolina: Geological Society of America, Abstracts with Program, v. 27,

no. 6, p. A-368.

Feldmann, R.M. 1996. Paleobiogeography of Southern Hemisphere decapod crustaceans: Congreso Paleogeno de America del Sur, Santa Rosa, La Pampa, Argentina, Resumenes, p. 2.

Feldmann, R.M., and Bice, K.L., 1996, Paleobiogeography of Cretaceous-Eocene southern high latitude decapod crustaceans: a test for global climate modeling: Sixth North American Paleontological Convention Abstracts of Papers, The Paleontological Society Special Publication No. 8, p. 118.

Feldmann, R.M., 1996, Parasitic castration of the crab Tumidocarcinus giganteus Glaessner, from the Miocene of New Zealand: Coevolution within the Crustacea: Geological Society of America, Abstracts with Program, v. 28, no. 6, p. A-431.

Salva, E.W., Schweitzer-Hopkins, C.E., and Feldmann, R.M., 1996, A comparison between cladistic and systematic analyses of the species of Xanthosia (Decapoda: Xanthidae): Geological Society of America, Abstracts with Program, v. 28, no. 6, p. A-239.

Feldmann, R.M., Casadío, S., and Aguirre-Urreta, M., 1997, Radiometric age and biotic affinities of decapod crustaceans from the Centinela Formation, southern Patagonia, Argentina: Geological Society of America, Abstracts with Program, v. 29, no. 6, p. A-405.

Feldmann, R. M., 1998, Implications of Eocene decapod crustaceans in Argentina for paleoceanographic setting of the high southern latitudes: VII Congreso Argentino de Paleontologia y Bioestratigrafia, Bahia Blanca, Argentina, p. 42.

Casadío, S. and Feldmann, R.M., 1998, The Centinela Formation and its relations with other Patagonian units deposited during the Lutetuan transgression: VII Congreso Argentino de Paleontologia y Bioestratigrafia, Bahia Blanca, Argentina, p. 125.

Feldmann, R. M., 1998, Cretaceous extinction of the Tethyan crab family Carcineretidae: a victim of the impact? Geological Society of America, Abstracts with Program, v. 30, no. 7, p. A-286.

Amati, L., Feldmann, R. M., and Zonneveld, J.-P., 1998, A middle Triassic decapod fauna from the western margin of Pangea: Its evolutionary and paleobiogeographic significance: Geological Society of America, Abstracts with Program, v. 30, no. 7, p. A-310.

Feldmann, R. M. and Hopkins, C. S., 1999, Reconsideration of the family status of fossil and extant calappid crabs: The Crustacean Society 1999 Summer Meeting, p. 29-30.

Amati, L., Feldmann, R. M., and Zonneveld, J.-P., 1999, A new decapod family from the Middle Triassic of the western margin of Pangea: Geological Society of America, Abstracts with Program, v. 31, no. 7, p. A-43.

Haj, A. E., and Feldmann, R. M., 1999, Functional morphology of cuticular ultrastructure of Cretaceous Raninidae: Geological Society of America, Abstracts with Program, v. 31, no. 7, p. A-43.

Feldmann, R. M., and Schweitzer, C. E., 1999, Heterochrony and the origin of the Geryonidae: Geological Society of America, Abstracts with Program, v. 31, no. 7, p. A-171.

Casadío, S., Guerstein, G. R., Marenssi, S., Santillana, S., Feldmann, R. M., Parras, A., and Montalvo, C., 2000, Evidencias para una edad oligocena de la Formación Centinela, suroeste de Santa Cruz, Argentina. Resúmenes de la Reunión Anual de Comunicaciones de la APA, Ameghiniana, v. 37, no. 4, p. 71R.

Feldmann, R. M., and Schweitzer, C. E., 2000, Reconciling the fossil record of decapods with modern classifications: can it be done?: 1st Workshop on Mesozoic and Tertiary Decapod Crustaceans; Studi e Ricerche, Associazione Amici del Museo - Museo Civico "G. Zannato", Montecchio Maggiore (Vicenza), 6 October 2000, p. 21-23.

Schweitzer, C. E., and Feldmann, R. M., 2000, Paleobiogeography of fossil decapod crustaceans: Global implications

of regional studies: 1st Workshop on Mesozoic and Tertiary Decapod Crustaceans; Studi e Ricerche, Associazione Amici del Museo - Museo Civico "G. Zannato", Montecchio Maggiore (Vicenza), 6 October 2000, p. 67-69.

Feldmann, R. M., and Schweitzer, C. E., 2001, Fossil decapod crustaceans in the high latitudes: Pioneers and survivors: Paleobios, v. 21, Supplement to number 2, p. 50.

Schweitzer, C. E., and Feldmann, R. M., 2001, Combining paleontological and biological criteria within the Xanthoidea (Decapoda): Toward a new view of decapod systematics, evolution, and paleobiogeography: Geological Society of America, Abstracts with Program, v. 33, no. 6, p. A-378.

Marenssi, S., Feldmann, R. M., and Schweitzer, C. E., 2001, Distribution of fossil decapod crustaceans from the La Meseta Formation (Eocene) on Seymour Island, Antarctica: Changing times, changing patterns: Geological Society of America, Abstracts with Program, v. 33, no. 6, p. A-378.

Feldmann, R. M., and Schweitzer, C. E., 2001, Remarkable preservation of fossil worms (Annelida: Polychaeta) from the La Meseta Formation (Eocene), Seymour Island, Antarctica: Geological Society of America, Abstracts with Program, v. 33, no. 6, p. A-379.

Waugh, D. A., Feldmann, R. M., Thomas, K. B., Stefano, C. J., and Crawford, R., 2002, The search for epibionts on fossil decapod Crustacea and trilobites: Does the clue lie in preservation of the epicuticular layer? Geological Society of America, Abstracts with Program, v. 34, no. 2, p. A-95.

Feldmann, R. M., Schweitzer, C. E., and Garassino, A. A., 2002. The search for roots: Palaeopemphix is not a decapod. Geological Society of America, Abstracts with Program, v. 34, no. 6, p. 267.

Waugh, D. A., and Feldmann, R. M., 2002, Analytical description of decapod cuticle microstructure: Integration of cuticle morphology into classification. Geological Society of America, Abstracts with Program, v. 34, no. 6, p. 358.

Crawford, R., Waugh, D. A., and Feldmann, R. M., 2003, Paleoenvironmental implications of a unique ostracode- and trilobite-rich grainstone bed in the lower Liberty Formation (Upper Ordovician), Preble County, Ohio. Geological Society of America, Abstracts with Program, v. 35

Waugh, D. A., Feldmann, R. M., Thomas, K. B., and Crawford, R. S., 2003, Causes of epizoan loss and selective exclusion of epibionts in the arthropod fossil record. Geological Society of America, Abstracts with Program, v. 35

Feldmann, R. M., 2003, Interpreting ecology and physiology of fossil decapod crustaceans. Contributions to Zoology, v. 72, nos. 2-3, p. 111-117.

Waugh, D. A., and Feldmann, R. M., 2003, Cuticle microstructure as a new tool in systematic paleontology. Contributions to Zoology, v. 72, nos. 2-3, p. 191-193.

Irmis, R. B., Elliott, D. K., and Feldmann, R. 2003. Phylogenetic analysis of Cancer (Crustacea: Decapoda): a case study in species-rich taxa. Systematics Programme and Abstracts, p. 28.

Feldmann, R. M., Waugh, D. A., and Jakobsen, S. L. 2003. Epibionts on decapods Crustacea as sources of paleoecological and taphonomic information. Geological Society of America, Abstracts with Program, v. 35, no. 6, p. 56.

Schweitzer, C. E., Feldmann, R. M., Waugh, D. A., and González-Barba, G. 2003. New Eocene fossil decapods crustaceans from Baja California Sur, Mexico: A Tethyan link. Geological Society of America, Abstracts with Program, v. 35, no. 6, p. 56.

Parras, A., S. Casadío, R. Feldmann, and C. Schweitzer, 2003, Análisis tafonómico e interpretación paleoambiental de concentraciones dominadas por ostras y cangrejos en la Formación Puerto Madryn (Mioceno superior), Patagonia, Argentina. Argentinian Paleontological Association, Symposium on Taphonomy, Santa Rosa, Argentina.

Casadío, S., M. Griffin, A. Parras, A. Concheyro, R. Feldmann, Z. Gasparini, and S. G. Parma, 2004, Biotic and environmental changes across the Cretaceous/Paleogene boundary in Patagonia. X Reunión Argentina de Sedimentologia, San Luis, 2004, p. 187-188.

Mutel, M. M., Waugh, D., Feldmann, R. M., nd Parsons-Hubbard, K., 2004. Experimental taphonomy of the blue crab, *Callinectes sapidus*: environmental and cuticular controls on preservation. Geological Society of America, Abstracts with program, v.36, no. 5, p. 65.

Parras, A., Casadío, S. Feldmann, R. M., Griffin, M., and Schweitzer, C. E., 2004, Age and paleogeography of the marine transgressions at the Paleogene-Neogene boundary in Patagonia, southern Argentina. Geological Society of America, Abstracts with program, v.36, no. 5, p. 364.

Schweitzer, C. E., Brösing, A., and Feldmann, R. M., 2004, Preliminary phylogenetic analysis ofthe Oxystomata *sensu lato* (Crustacea: Decapoda: Brachyura): new hypotheses about brachyuran evolution. Geological Society of America, Abstracts with program, v.36, no. 5, p. 423.

Waugh, D. A., Feldmann, R. M., Crawford, R. S., Kelley, Brian M., Shirk, A. M., Conkle, L. M., and Traugh, K. 2005. Role of age, gender, and sample location on the cuticular microstructure of a recent population of *Callinected sapidus* and its implications for the study of fossil cuticle. Geological Society of America, Abstracts with program, v.37, no. 5, p. 81.

Lazăr, I., Feldmann, R. M., Schweitzer, C. E., and Shirk, A. M., 2005, Did sponges have crabs? The fauna of a unique sponge-algal cylindrical bioherm complex from the Upper Jurassic of Romania. Geological Society of America, Abstracts with program, v.37, no. 7, p. 136.

Waugh, D. A., Schroeder, A. M., and Feldmann, R. M., 2005. Constructional morphology and cuticular microstructure of extant and fossil crab claw denticles. Geological Society of America, Abstracts with program, v.37, no. 5, p. 366.

Casadío, S., Crawford, R. S., Feldmann, R. M., Griffin, M., Parras, A., and Schweitzer, C. E., 2005, Paleobiological and taphonomic study of two Miocene South Atlantic shelf bottom communities dominated by crabs. Geological Society of America, Abstracts with program, v.37, no. 5, p. 404.

Conkle, L. N., Schweitzer, C. E., and Feldmann, R. M., 2006, Initial report on decapod crustaceans from the Miocene Bear Lake Formation, Alaska. Geological Society of America, Abstracts with program, v. 38, no. 4, p. 56.

Schweitzer, C. E., and Feldmann, R. M., 2006, Are paddle-like pereiopods a phylogenetically appropriate character within the Brachyura? Geological Society of America, Abstracts with program, v. 38, no. 4, p. 56.

Crawford, R. S., Casadío, S., Feldmann, R. M., Griffin, M., Parras, A., and Schweitzer, C. E., 2006, Marine record of an early Miocene catastrophic volcanic event, Monte Leon Formation, Patagonia, Argentina. Geological Society of America, Abstracts with program, v. 38, no. 4, p. 56.

Shirk,. A. M., Feldmann, R. M., Schweitzer, C. E., and Lazăr, I., 2006, A novel assemblage of decapod Crustacea from a Tithonian coral reef olistolith, Purcăreni, Romania. Geological Society of America, Abstracts with program, v. 38, no. 4, p. 56-57.

Feldmann, R. M., Portell, R. W., and Schweitzer, C. E., 2006, *Costacopluma* n. sp. (Decapoda: Retroplumidae) from the Eocene Tallahatta Formation, Alabama: range extension and a reevaluation of the Retroplumidae. Geological Society of America, Abstracts with program, v. 38, no. 4, p. 57.

Cosovic, V., C. E. Schweitzer, V. P. Fucek, R. M. Feldmann, A. M. Shirk, and A. Moro. 2006. Orthophragminids and associated fossils in paleogeographic interpretation of transitional beds (Croatia). Anuário do Instituto de Geociências – UFRJ, 29: 647-648.

Schweitzer, C. E., and Feldmann, R. M. 2006. Reevaluating prosopid decapod crustaceans: The rootstock of the true crabs. Geological Society of America, Abstracts with program, v. 38, no. 7, p. 555.

Waugh, D. A. 2006. Preliminary examination of cuticular microstructure within the Raninoidea (Decapoda, Brachyura). Geological Society of America, Abstracts with program, v. 38, no. 7, p. 555.

Feldmann, R. M., Green, R., and Schweitzer, C. E. 2007. An unusual Albian (Early Cretaceous) crab from Montana: the earliest eubrachyuran? Memorie della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano, v. 35, no. 2, p. 28-29.

Feldmann, R. M., and Schweitzer, C. E. 2007. A compilation of Decapoda collections in museums of the world. Memorie della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano, v. 35, no. 2, p. 30-36.

Robins, C. M., Feldmann, R. M., and Schweitzer, C. E. 2007. Primitive brachyurans and galatheids from Ernstbrunn, Austria: an evaluation of the Friedrich Bachmayer collection. Memorie della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano, v. 35, no. 2, p. 85-86.

Schweitzer, C. E., Feldmann, R. M., Shirk, A. M. and Lazăr. 2007. Differential diversity in Jurassic sponge-algal and coralline communities, Romania. Memorie della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano, v. 35, no. 2, p. 91-94.

Verhoff, J. R., Müller, P., Feldmann, R. M., and Schweitzer, C. E. 2007. A novel Paleocene decapod fauna from the Kambühel Formation. Memorie della Società Italiana di Scienze Naturali e del Museo Civico di Storia Naturale di Milano, v. 35, no. 2, p. 101-102.

Karasawa, H., Schweitzer, C. E., and Feldmann, R. M. 2007. Systematics and phylogeny of the Portunoidea (Crustacea: Decapoda: Brachyura). Abstracts with Programs The 2007 Annual Meeting, The Palaeontological Society of Japan, p. 57.

Feldmann, R. M., C. E. Schweitzer, and D. A. Waugh. 2007. Selective biomineralization of crab cuticle: The key to a pelagic lifestyle. Geological Society of America, Abstracts with program, v. 39, no. 6, p. 74.

Waugh, D. A., R. M. Feldmann, A. Hull, K. Hein, and C. E. Schweitzer. 2007. Effect of sample location and ontogeny on decapod cuticle, a case study of *Callindectes sapidus*. Geological Society of America, Abstracts with program, v. 39, no. 6, p. 75.

Schweitzer, C. E., and R. M. Feldmann. 2007. *Goniodromites* Reuss, 1858 (Crustacea: Decapoda: Brachyura: Goniodromitidae): The cockroach of the Jurassic oceans. Geological Society of America, Abstracts with program, v. 39, no. 6, p. 75.

Feldmann, R. M., and C. E. Schweitzer. 2008. Assessment of Jurassic brachyuran (Crustacea: Decapoda) diversity and paleoecology. Society for Integrative and Comparative Biology Abstract Book, 81.5.

Crawford, R. s., S. Casadío, R. Feldmann, M. Griffin, and C. E. Schweitzer. 2008. The ecologic and taphonomic effects of a Miocene volcanic ashfall on Atlantic inner-shelf communities. Atlantic Neogene Stratigraphy Meeting, Buenos Aires,

Feldmann, R. M., C. E. Schweitzer, M. Griffin, and S. Casadío. 2008. Miocene decapod crustacean fauna of Tierra del Fuego, Argentina, signals timing of establishment of modern biogeographic provinces. Geological Society of America, Abstracts with program, v. 40, no. 6, p. 139.

Frantescu, O. D., C. E. Schweitzer, and R. M. Feldmann. 2008. New crab species and genera from Jurassic (Oxfordian) coral reefs and comparison of decapod abundance between coral and sponge environments in Dobrogea, Romania. Geological Society of America, Abstracts with program, v. 40, no. 6, p. 480.

Robins, C. M., R. M. Feldmann, and C. E. Schweitzer. 2008. Standardized terminology for description of diverse morphology of Late Jurassic galatheoid squat lobsters (Decapoda: Anomura: Galatheoidea). Geological Society of America, Abstracts with program, v. 40, no. 6, p. 480.

Waugh, D. A., R M. Feldmann, G. Schweigert, and C. E. Schweitzer. 2008. Cuticle microstructure from the Late Jurassic shrimp *Aeger* sp. Geological Society of America, Abstracts with program, v. 40, no. 6, p. 480.

Feldmann, R. M. 2008. First report of a pre-molt isopod (Crustacea) from the Cretaceous of Lebanon. Geological Society of America, Abstracts with program, v. 40, no. 6, p. 481.

Schweitzer, C. E., and R. M. Feldmann. 2008. Specimen-based research results in recognition of an explosive radiation of Jurassic Brachyura (Crustacea: Decapoda). Geological Society of America, Abstracts with program, v. 40, no. 6, p. 541.

Research Grants and Honors

1961 - Sigma Gamma Epsilon W.A. Tarr Award
1961 - N.S.F. Cooperative Graduate Fellowship (declined)
1961 - N.D.E.A. Fellowship
1963 - Sigma Xi - Associate Member (Full Member, 1966)
1966 - North Dakota Academy of Sciences A. Roger Dennison Award
1969 - KSU Teaching Development Award
1971 - KSU Summer Research Appointment
1972 - KSU Research Travel Grant (Great Britain)
1975 - Cleveland Museum of Natural History - Crinoids from the Cuyahoga Formation, northeast Ohio ($500)
1976 - KSU Academic Year Research Appointment
1979 - Ohio Department of Transportation - Tufa precipitation and its effect on drainage of highway embankments ($29,400)
1982 - Antarctic Medal of the United States
1983 - KSU Academic Year Research Appointment
1984 - National Science Foundation - Systematics and biostratigraphy of the arthropod genus Echinocaris ($70,500)
1984 - National Science Foundation - Paleoecology and paleobiogeography of decapod-rich assemblages on Seymour Island, Antarctica ($79,835)
1985 - National Geographic Society - Paleobiology of Devonian conulariids from Bolivia ($4,210)
1986 - Fellow, Explorers Club
1987 - National Science Foundation Travel Grant ($675)
1987 - National Science Foundation - Paleobiology of Cretaceous and Tertiary decapod crustaceans from Seymour Island, Antarctica ($65,002).
1988 - Ohio Board of Regents - Research Challenge - Graduate Program in Petroleum Geology ($80,000) - with Heimlich
1989 - KSU Academic Year Research Appointment
1989 - National Science Foundation - Paleobiology of Cretaceous and Tertiary Decapod Crustaceans from Seymour Island, Antarctica, Supplement ($3,000).
1989 - National Science Foundation - Paleobiology of Late Cretaceous decapod crustaceans from James Ross Island, Antarctica ($93,355).
1990 - National Geographic Society - Paleobiology of decapod crustaceans in southern South America ($9,800).
1991 - National Science Foundation - Workshop: Geology of the James Ross Basin, Antarctica ($20,590).
1991 - National Science Foundation - Paleobiology of Late Cretaceous decapod crustaceans from James Ross Island, Antarctica, Supplement ($7,450).
1992 - National Geographic Society - Paleobiogeography of Late Cretaceous decapod crustaceans from Mexico ($6,000).
1993 - National Science Foundation - Paleobiogeography of high latitude decapod crustacean assemblages ($41,398).
1993 - National Geographic Society - Paleobiogeography of Miocene decapod crustaceans from New Zealand ($9,383)
1994 - National Science Foundation - Paleobiology of decapod crustaceans from southern Patagonia: a link with Antarctica ($43,500)
1995 - National Science Foundation - Paleobiogeography of austral decapod crustaceans ($61,000)
1995 - National Geographic Society - Paleobiogeography and paleoenvironments of Early Cretaceous Reef Corals, southwestern Mexico ($12,000)
1996 - National Science Foundation - Paleobiogeography of austral decapod crustaceans, Supplement ($8,006)
1998 - National Geographic Society - Paleobiogeography of North Pacific decapod crustaceans ($16,865)

1998 - Golden Trilobite Award of the Paleontological Society for an outstanding publication, *Fossils of Ohio*, published by the Ohio Division of Geological Survey.
2000 - Distinguished Scholar Award of Kent State University
2000 - National Science Foundation - Collaborative Research: Paleoceanography of Eocene decapod-rich rocks in Antarctica and southern South America ($99,000)
2000 - National Science Foundation - US-Mexico Cooperative Research: Global paleobiogeographic implications from a regional study (with C. E. Schweitzer) ($31,244)
2001 - Arthur Gray Leonard Award - Department of Geology and Geological Engineering, University of North Dakota
2001 - G. D. Harris Award - Paleontological Research Institution
2002 – National Science Foundation – Collaborative Research: Paleoceanography of Eocene decapod-rich rocks in Antarctica and southern South America, Supplement ($9747)
2003 – National Science Foundation – US-ROMANIA Cooperative Research: Jurassic and Cretaceous decapod crustaceans from Romania: A test for early radiation patterns in the Decapoda (with C. E. Schweitzer)($47,652)
2004 – National Science Foundation – Collaborative Research: Paleoceanography of Eocene decapod-rich rocks in Antarctica and southern South America, Supplement ($5958)
2005 – National Science Foundation – Collaborative Research: AToL: Morphological and molecular phylogeny of the decapod crustaceans (with C. E. Schweitzer)($462,066)
2006 – National Science Foundation – Collaborative Research: AToL: Morphological and molecular phylogeny of the decapod crustaceans (with C. E. Schweitzer), REU Supplement ($7,500)
2006 – Member of Board of Trustees, Paleontological Research Institution
2007 – National Science Foundation – Collaborative Research: AToL: Morphological and molecular phylogeny of the decapod crustaceans (with C. E. Schweitzer), REU Supplement ($13,339)
2007 – National Science Foundation – Collaborative Research: AToL: Morphological and molecular phylogeny of the decapod crustaceans (with C. E. Schweitzer), Travel Supplement ($11,844)
2008 – President of Board of Trustees, Paleontological Research Institution
2008—Smithsonian Institution –Smithsonian Institution Short-Term visitor ($1,373)

Society Memberships and Activity

Geological Society of America
(Co-Chairman of field trip for North-Central Section Meeting, 1974; Vice-President, North-Central Section, 1985-86)
Paleontological Society
(Co-editor of the Journal of Paleontology, 1977-83; organizer and Chairman of the North-Central Section; Member and Chairman, Constitution Revision Committee; Co-editor of Memoirs; Member of the National Council; Councilor-two terms; President-elect, 1991-92; President, 1992-93; Past-President, 1993-1994).
American Association of Petroleum Geologists
(Academic Liaison Committee)
Northern Ohio Geological Society (past President)
Sigma Xi (Secretary; President, 1992-94)
Sigma Gamma Epsilon
(Chapter Advisor; Editor of Compass; National Historian; National Vice-President, Northeastern Province, 1994-Present)
Geoscience Journal (Member of Editorial Board, 1980's)
Smithsonian Institution (Research Associate)
Cleveland Museum of Natural History (Research Associate)
Carnegie Institute (Research Associate)
Earth Science (Coordinator of paleontological articles, 1980's)
Paleontological Research Institution
(Trustee, 2005-Present
1st Vice President, 2007-2008
President, 2008 - Present

Theses/Dissertations Directed

Cooper, M.L., 1972, Systematic paleontology of the Pennsylvanian scaphopods of North America, 66 p., M.S.

Palubniak, D.S., 1972, Paleoecology of Upper Cretaceous oysters in the Fox Hills Formation, North Dakota and comparisons with recent oyster ecology, 119 p., M.S.

Artzner, D.G., 1974, Palynology of a volcanic ash in the Fox Hills Formation (Maestrichtian) of Emmons, Morton, and Sioux Counties, North Dakota, 122 p., M.S.

Howell, L.A., 1976, Hydrogeology of Brimfield Township, Portage County, Ohio, 90 p., M.S.

Kell, S.R., 1979, The distribution, ecology, and preservation of benthonic foraminifera in the salt marsh at Wachapreague, Virginia, 49 p., M.S.

Beikirch, D.W., 1979, Decapod crustaceans from the Pflugerville Member, Austin Formation (Campanian: Late Cretaceous) of Travis County, Austin, Texas, 40 p., M.S.

Hannibal, J.T., 1980, Systematics and functional morphology of the oniscomorph millipedes (Arthropoda, Diplopoda) from the Carboniferous of North America, 64 p., M.S.

Biros, D.J., 1981, Geochemistry of a tufa deposit on a highway embankment, Cuyahoga County, Ohio, 83 p., M.S.

Middleton, D.L., 1981, Regional examination of sites of tufa deposition along highways in northeast Ohio, 102 p., M.S.

Weidner, W.E., 1983, Paleoecological interpretation of echinocarid arthropod assemblages in the Late Devonian (Famennian) Chagrin Shale, northeast Ohio, 66 p., M.S.

Bjerstedt, T.W., 1983, Stromatoporoid paleosynecology in the Lucas Dolostone (M. Devonian) on Kelleys Island, Ohio, 152 p., M.S.

Stanley, T.M., 1984, Stratigraphy, ichnology, and paleoichnology of the Deadwood Formation (Upper Cambrian-Lower Ordovician), northern Black Hills, South Dakota, 224 p., M.S.

Factor, D.F., 1984, Paleoecology of malacostracan arthropods in the Bear Gulch Limestone (Namurian) of central Montana, 77 p., M.S.

McCoy, D.L., 1985, A description and interpretation of the Permian Minnekahta Limestone of the Black Hills, South Dakota, 94 p., M.S.

March-Natali, P., 1985, Paleoecologic interpretation of the Castle Hayne Limestone in North Carolina utilizing bryozoan zoarial forms, 151 p., M.S.

Babcock, L.E., 1986, Devonian and Mississippian conulariids of North America, 279 p., M.S.

Wilson, M.T., 1986, Functional morphology of the genus Lyreidus, 76 p., M.S.

Tshudy, D., 1987, Macruran decapods, and their epibionts, from the Lopez de Bertodano Formation (Late Cretaceous), Seymour Island, Antarctica, 83 p., M.S.

Stukel, D.J., II, 1987, Ichnology and paleoenvironmental analysis of the Late Devonian (Fammenian) Chagrin Shale of northeast Ohio, 94 p., M.S.

Tucker, A.B., 1988, Fossil decapod crustaceans from the Lower Tertiary of the Prince William Sound region, Gulf of Alaska, 109 p., M.S.

Schwimmer, B.A., 1988, Stratigraphic distribution of brachiopods and pelecypods in the Upper Devonian (Famennian) Chagrin Shale in the Cuyahoga River Valley, northeastern Ohio, 134 p., M.S.

Frye, C.J., 1989, Aptychi from the Late Devonian dark shales of northeast Ohio, 82 p., M.S.

Wiedman, L.A., 1990, The paleontology of selected Antarctic and New Zealand Eocene fossils, 174 p., Ph.D.

Hannibal, J.T., 1990, Echinocaris, a mid-Paleozoic crustacean, 362 p., Ph.D.

Geizer, H., 1990, A model of sequential land use planning of a sand and gravel pit, Portage County, Ohio, 94 p., M.S.

Wieder, R., 1991, Fossil isopods of North America, 96 p., M.S.

Filkorn, H., 1992, Scleractinia from the López de Bertodano and Sobral formations (Upper Cretaceous-Lower Tertiary) from Seymour and Snow Hill islands, Antarctic Peninsula, 320 p., M.S.

Dai, B., 1992, Late Devonian bivalves from the Chagrin Shale (Famennian), northeast Ohio, 141 p., M.S.

Chirino-Gálvez, L., 1993, Cenozoic crabs from Chile, 278 p., M.S.

Tshudy. D. M., 1993, Taxonomy and evolution of the clawed lobster families Chilenophoberidae and Nephropidae, 472 p., Ph.D.

Tucker, A. B., 1995. A systematic evaluation of fossil Raninidae from the Twin River Group, Olympic Peninsula, Washington, and a re-examination of the Raninidae, 582 p., Ph.D.

Schweitzer Hopkins, C., 1996. Fossil decapod crustaceans from the Pysht Formation (late Oligocene to early Miocene) and late Eocene Quimper Sandstone, Olympic Peninsula, Washington, 206 p., M.S.

Salva, E. W., 1997. The systematic study of Trichopeltarion greggi and the reevaluation of the Family Atelecyclidae (Decapoda: Brachyura), 175 p., M.S.

Amati, L. M., 1999. A new family of decapod crustaceans from the western margin of Pangea: Its evolutionary and paleobiogeographic significance, 82 p., M.S.

Haj, A. E., Jr., 2000. New cuticular microstructure of Cretacoranina punctata (Decapoda) from the Pawpaw Formation (Upper Cretaceous) of northeastern Texas, 54 p., M.S.

Filkorn, H. F., 2001. Early and Middle Cretaceous corals from southwestern Mexico, 816 p., Ph.D.

Nyborg, T. G., 2002, Fossil decapod crustaceans from the early to middle Miocene Astoria Formation, Washington and Oregon, U.S.A.. 224 p., M.S.

Waugh, D. A. 2002. Analytical cuticle classification, 84 p., M.S.

Shirk, A. M. 2006. A novel assemblage of decapod Crustacea, from a Tithonian coral reef olistolith, Purcăreni, Romania: systematical arrangement and biogeographical perspective, 198 p., M.S.

Crawford, R. S. 2007. Paleoecological analysis of faunal disparity within a constrained horizon of the Monte León Formation, early Miocene, of southern Argentina, M. S.

Rhenberg, E. C. 2007. Biotic interactions of bivalves from the Late Cretaceous Coon Creek type section of McNairy County, Tennessee, M. S.

University and Public Service

1966-68 - Assistant Dean (half-time), College of Arts and Sciences
1967-68 - Member, Admissions and Academic Standards Committee
1968-69 - Member, Student-Faculty Judiciary Committee

1969-70 - Chairman, Departmental Review Committee (Psychology)
1969-70 - Chairman, Faculty Senate Committee on Instruction
1970-71 - Member, President's Advisory Council
1970-71 - Member, Steering Committee for College of Arts and Sciences Review
1970-73 - Member, Executive Committee, College of Arts and Sciences
1973-74 - Member, Search Committee for Assistant Dean, College of Arts and Sciences
1973-76 - Co-founder and Steering Committee Member, Office of Faculty Development
1977-79 - Member, Provost's Advisory Committee on Promotion
1980-81 - Member, Provost's Advisory Committee on Tenure
1980-81 - Member, Departmental Review Committee (Mathematics)
1980-81 - Chairman, Search Committee for Chairman of Department of Chemistry
1982-83 - Member, Search Committee, Vice President for Institutional Advancement
1984-89 - Member, Kent State University Press Editorial Board
1985-87 - Member, University Promotion Advisory Board
1987-91 - Member, EPC Library Subcommittee
1995--2001 - Chairman, Geology Chairperson Review Committee
1995-96 - Chairman, Search Committee, Director Hugh A. Glauser School of Music
2002-06 - Pres. Graduate Coordinator