

Department Scheduling Setup - Accounting (KCACCT_BU)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
BSA	1	BOW
BSA	2	SFH

Department Scheduling Setup - Aerospace Studies (KCASTU_VA)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
TER	1	ANX

Department Scheduling Setup - Anthropology (KCANTH_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH

Department Scheduling Setup - Architecture (KCARCH_AE)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
ANX	1	TLH
ANX	3	NXH
TLH	2	ANX
TLH	2	ART
TLH	2	BOW

TLH	3	NXH
TLH	4	CPA
TLH	5	WTH_
TLH	6	TRT
TRT	1	ANX
TRT	2	TLH

Department Scheduling Setup - Art (KCART_CA)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
ART	1	VDN
ART	2	LKO
ART	3	BOW
ARX	1	ART
ARX	2	VDN

MSC	1	ART
MSC	2	VDN
VDN	1	ART
VDN	2	BOW

Department Scheduling Setup - Arts and Sciences (KCAS_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
ANX	1	SFH
BOW	1	SFH
BOW	2	BSA
BSA	1	SFH
KTH	1	KTA

KTH	2	LRH
KTH	2	MLH
KTH	2	MOU
KTH	2	ORH
KTH	2	VDN
KTH	3	FRA
KTH	3	FRH
KTH	3	WTH_
KTH	4	SFH
KTH	5	BOW
KTH	5	BSA
MLH	1	KTH
SFH	1	BOW
SFH	1	MCG
SFH	1	ORH
SFH	1	VDN
SFH	2	BSA
WMH	1	LCM

Department Scheduling Setup - Biological Sciences (KCBSCI_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
CHA	1	CHH
CHA	2	SMH
CHH	1	SMH
CHH	2	WMH
CHH	3	HDN

CHH	4	LCM
CHH	5	BOW
CHH	5	CWH
CHH	5	MSC

Department Scheduling Setup - Biomedical Sciences (KCBMS_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
CHH	1	SMH
CHH	2	WMH
CHH	3	HDN

Department Scheduling Setup - Business Administration (KCBUSN_BU)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
BSA	1	BOW
BSA	2	SFH
BSA	3	VDN
BSA	4	MLH
BSA	5	LRH

Department Scheduling Setup - Business Administration Grad (KCBAD_BU)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
BSA	1	BOW
BSA	2	SFH

Department Scheduling Setup - Chemical Physics (KCCPHY_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LCM	1	MSB
LCM	2	CHH

Department Scheduling Setup - Chemistry and Biochemistry (KCCHMB_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
WMH	1	SMH
WMH	2	CHH
WMH	3	HDN
WMH	4	LCM

Department Scheduling Setup - College of the Arts (KCCA_CA)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
TLH	1	NXH
TLH	2	CPA

Department Scheduling Setup - Communication and Information (KCCCI_CI)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
TLH	1	FRH

Department Scheduling Setup - Communication Studies (KCCOMM_CI)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
CPA	1	NXH
CPA	2	CWH
CPA	3	MSC
FRH	1	FRA
TLH	1	ANX

Department Scheduling Setup - Computer Science (KCCS_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
MSB	1	SMH
MSB	2	WMH
MSB	3	WTH_
MSB	4	LCM

Department Scheduling Setup - Ctr for Applied Conflict Mgmt (KCCACM_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
BOW	1	MCG
BOW	1	SFH
BOW	2	ART
BOW	2	KTA
BOW	2	KTH

Department Scheduling Setup - Digital Sciences (KCDSCI_DS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
MSB	1	SMH
MSB	2	WMH
MSB	3	WTH_
MSB	4	LCM

Department Scheduling Setup - Economics (KCECON_BU)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
BSA	1	BOW
BSA	2	SFH

Department Scheduling Setup - Education (KCEDUC_EH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
WTH_	1	LRH
WTH_	2	MLH
WTH_	3	HDN

Department Scheduling Setup - English (KCENG_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
ANX	1	SFH
BOW	1	SFH
BSA	1	SFH
KTH	1	KTA
KTH	2	LRH

KTH	2	MLH
KTH	2	MOU
KTH	2	ORH
KTH	2	VDN
KTH	3	FRA
KTH	3	FRH
KTH	3	WTH_
KTH	4	SFH
KTH	5	BOW
KTH	5	BSA
MCG	1	SFH
SFH	1	BOW
SFH	2	BSA
SFH	3	ORH
SFH	4	MLH
SFH	5	WTH_
SFH	6	ART
WTH_	1	SFH

Department Scheduling Setup - Environmental Health Sciences (ACEHS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Environmental Health Sciences (ECEHS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Environmental Health Sciences (GCEHS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Environmental Health Sciences (KCEHS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Environmental Health Sciences (SAEHS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Environmental Health Sciences (STEHS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Environmental Health Sciences (TREHS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Environmental Health Sciences (TUEHS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Epidemiology and Biostatistics (ACEPBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Epidemiology and Biostatistics (ECEPBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Epidemiology and Biostatistics (GCEPBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Epidemiology and Biostatistics (KCEPBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Epidemiology and Biostatistics (SAEPBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Epidemiology and Biostatistics (STEPBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Epidemiology and Biostatistics (TREPBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Epidemiology and Biostatistics (TUEPBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Fashion Design and Merch (KCFDM_CA)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
ROC	1	FRA
ROC	1	FRH
ROC	2	MOU

Department Scheduling Setup - Finance (KCFIN_BU)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
BSA	1	BOW
BSA	2	SFH
BSA	3	VDN

Department Scheduling Setup - Foundations Leadership Admin (KCFLA_EH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
ANX	1	CHH
ANX	2	BOW
ANX	3	SFH
NXH	1	CPA
WTH_	1	LRH

WTH_	2	MLH
WTH_	3	ORH

Department Scheduling Setup - Geography (KCGEOG_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
MCG	1	KTA
MCG	2	BSA
MCG	3	KTH

Department Scheduling Setup - Geology (KCGEOL_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
MCG	1	KTA
MCG	2	BSA
MCG	3	KTH

Department Scheduling Setup - Health Policy and Management (ACHPM_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Health Policy and Management (ECHPM_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Health Policy and Management (GCHPM_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Health Policy and Management (KCHPM_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Health Policy and Management (SAHPM_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Health Policy and Management (STHPM_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Health Policy and Management (TRHPM_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Health Policy and Management (TUHPM_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Health Sciences (KCHS_EH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
ANX	1	BOW
ANX	2	SFH
CPA	1	NXH
CPA	2	TLH
NXH	1	CPA

NXH	2	TLH
NXH	3	ORH

Department Scheduling Setup - History (KCHIST_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
BOW	1	BSA
BOW	2	SFH

Department Scheduling Setup - Honors (KCHONR_HC)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
JHN	1	ANX
JHN	2	TLH
JHN	3	BOW

Department Scheduling Setup - Journalism and Mass Comm (KCJMC_CI)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
FRA	1	FRH
FRA	2	MOU
FRA	3	MCG
FRH	1	FRA
FRH	2	MOU

FRH	3	MCG
FRH	4	BOW
FRH	4	CWH

Department Scheduling Setup - Library and Information Sci (KCLIS_CI)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LIB	5	CHH
LIB	6	WMH
LIB	7	SMH

Department Scheduling Setup - Lifespan Dev and Educ Sciences (KCLDES_EH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
SFH	1	BOW
SFH	2	BSA
SFH	3	ORH
SFH	4	MCG
SFH	5	ART

SFH	6	WTH_
SFH	7	LRH
SFH	8	MLH
WTH_	1	LRH
WTH_	2	MLH
WTH_	3	NXH
WTH_	3	ORH

Department Scheduling Setup - Management Information Systems (KCMIS_BU)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
BSA	1	SFH
BSA	2	BOW
BSA	3	CWH

Department Scheduling Setup - Marketing and Entrepreneurship (KCMKEN_BU)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
BSA	1	BOW
BSA	2	SFH

Department Scheduling Setup - Mathematics (KCMATH_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
MSB	1	LCM
MSB	2	HDN
MSB	3	SMH
MSB	4	WMH
MSB	5	WTH_

WTH_	1	MSB
WTH_	2	LCM
WTH_	3	HDN

Department Scheduling Setup - Military Science (KCMSCI_VA)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
TER	1	ANX

Department Scheduling Setup - Modern-Classical Language Stud (KCMCLS_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
BSA	2	BOW
BSA	2	SFH
SFH	1	BOW
SFH	2	BSA
SFH	3	ORH

SFH	4	MCG
SFH	5	ART
SFH	6	WTH_
SFH	7	LRH
SFH	8	MLH
WTH_	1	SFH
WTH_	2	ORH
WTH_	3	LRH

Department Scheduling Setup - Music (KCMUS_CA)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
CPA	1	NXH
CPA	2	TLH
CPA	3	MSC
MSC	1	CPA

Department Scheduling Setup - Nursing (KCNURS_NU)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
HDN	1	LCM
HDN	2	CHA
HDN	2	CHH
HDN	2	MSB
HDN	2	SMH

HDN	2	WMH
LCM	1	HDN
LCM	2	MSB
LCM	3	CHH

Department Scheduling Setup - Office of Global Education (KCOGE_VA)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
BOW	1	BOW

Department Scheduling Setup - Pan-African Studies (KCPAS_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
ORH	1	LRH
ORH	2	WTH
ORH	3	MLH
ORH	4	MOU
ORH	5	VDN

Department Scheduling Setup - Philosophy (KCPHIL_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
BOW	1	SFH
BOW	2	BSA
BOW	3	ART
BOW	4	VDN
BOW	5	ORH

Department Scheduling Setup - Physics (KCPHY_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
SMH	1	WMH
SMH	2	CHH
SMH	3	HDN

Department Scheduling Setup - Political Science (KCPOL_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
BOW	1	BSA
BOW	2	SFH
BOW	3	MSC

Department Scheduling Setup - Psychology (KCPSYC_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
KTA	1	KTH
KTA	2	MCG
KTA	3	MLH
KTA	4	CWH
KTH	1	KTA

KTH	2	MCG
KTH	3	MLH
KTH	4	CWH

Department Scheduling Setup - Public Health (KCPH_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Social and Behavioral Sciences (AC SBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Social and Behavioral Sciences (ECSBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Social and Behavioral Sciences (GCSBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Social and Behavioral Sciences (KCSBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Social and Behavioral Sciences (SASBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Social and Behavioral Sciences (STSBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Social and Behavioral Sciences (TRSBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Social and Behavioral Sciences (TUSBS_PH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
LRH	1	MLH
LRH	2	WTH
LRH	3	BOW
LRH	4	KTA
LRH	4	KTH

Department Scheduling Setup - Sociology (KCSOC_AS)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
BOW	1	MLH
BOW	2	ORH
MLH	1	KTA
MLH	1	KTH
MLH	2	ORH

MLH	3	CWH
MLH	4	LRH
MLH	5	WTH_

Department Scheduling Setup - Tchng Ldrshp and Curr Studies (KCTLCH_EH)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
ANX	1	JHN
ANX	2	BOW
ANX	3	TLH
CDC	1	WTH_
CDC	2	LRH

CDC	3	MLH
CDC	4	HDN
WTH_	1	LRH
WTH_	2	MLH
WTH_	3	HDN

Department Scheduling Setup - Technology (KCAEST_AT)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
VDN	1	ART
VDN	2	KTA
VDN	2	KTH
VDN	3	BOW

Department Scheduling Setup - Theatre and Dance (KCTHDN_CA)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
CPA	1	NXH
CPA	2	TLH
CPA	3	ANX
CPA	5	MSC
CPA	5	ORH

CPB	1	CPA
CPC	1	ANX

Department Scheduling Setup - Undergraduate Studies (KCUS_US)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
ANX	1	ART
ANX	1	TLH
ANX	4	BOW
ART	1	ORH
ART	2	VDN

BOW	1	ANX
BOW	1	SFH
BOW	1	WTH_
BSA	1	BOW
BSA	2	SFH
BSA	3	MCG
CHA	1	CHH
CHA	1	SMH
CHH	1	SMH
CHH	2	WMH
CHH	3	HDN
CPA	1	NXH
CPA	2	TLH
HDN	1	CHH
HDN	2	SMH
HDN	3	WMH
KTA	1	KTH
KTH	1	KTA
KTH	1	MCG
KTH	2	MLH
KTH	3	BOW
LCM	1	HDN
LCM	1	MSB
LIB	1	CHH
LIB	1	SMH
LIB	1	WMH
LRH	1	MLH

LRH	2	WTH_
MCG	1	BSA
MCG	2	BOW
MCG	3	WTH_
MLH	1	LRH
MLH	2	WTH_
MLH	3	BOW
MSB	1	SMH
MSB	2	WMH
MSB	3	WTH_
MSC	1	BOW
MSC	1	BSA
MSC	1	SFH
NXH	1	CPA
NXH	2	TLH
ORH	1	LRH
ORH	1	MLH
ORH	1	VDN
ROC	1	FRA
ROC	1	FRH
ROC	1	KTH
ROC	1	MOU
SFH	1	BOW
SFH	2	BSA
SMH	1	WMH
SMH	2	CHH
SMH	3	HDN

TER	1	MOU
TER	1	NXH
TER	1	WTH_
TLH	2	ART
TLH	3	ANX
TLH	4	BOW
TLH	4	ORH
TLH	4	VDN
VDN	1	ART
VDN	1	KTH
VDN	1	MLH
VNC	1	TRT
WMH	1	SMH
WMH	2	CHH
WMH	3	HDN
WTH_	1	BOW
WTH_	2	ANX

Department Scheduling Setup - Visual Communication Design (KCVCD_CA)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
ART	1	BOW
ART	2	BSA
ART	3	SFH

Department Scheduling Setup - Visual Communication Design (KCVCD_CI)

Home and Alternate Pavilions

A pavilion is the equivalent of a building. Your home and alternate pavilion settings tell the system how to assign a 'quality' to the rooms that are available to be assigned to your delivery. To assign a quality, you must first supply a home pavilion. The home pavilion is the pavilion that the scheduler requests in the DCU. If the system is unable to find a room in the home pavilion, it will search the alternate pavilions instead. The value of the alternate pavilion describes which pavilion has a better quality.

In the following example if the scheduler requests a room in PAV A and no rooms are available it will search PAV B, D and M. Rooms in PAV B will have greater quality than rooms in PAV D. Rooms in PAV D will have a better quality than rooms in PAV M. If the scheduler requests a room in PAV Q and no rooms are available, the system will search PAV T, X and H. Rooms in PAV T and X have equal and greater quality than rooms in PAV H.

Below you will find your home and alternate pavilions as they exist in production today. Please review this information and make changes as necessary.

If I request a room in this pavilion:	Rank (quality)	I would also accept a room in these pavilions, in this order
PAV A	1	PAV B
	2	PAV D
	3	PAV M
PAV Q	1	PAV T
	1	PAV X
	2	PAV H

Your current values are

Home Pavilion	Rank	Alternate Pavilion
ART	1	BOW
ART	2	BSA
ART	3	SFH