COGNOS MARAIE BELT


COGNOS BELT

COURPLE BELT


- Best Practices
 - Address Slots
 - List of Values (LOV)
 - Kent State Portlet
 - Scheduling Reports
 - Using Indicators
 - ALANA

- Address Slot
 - Flattens several addresses/phone numbers for a person in one row
 - Greatly improves report performance
- Email Slot
 - Flattens several email addresses for a person into one row
 - Greatly improves report performance
- List of Values (LOV)
 - Corresponds to the Banner validation tables that list codes and descriptions used in the Banner tables
 - Improves performance for prompt pages

- Confidential and Deceased Indicators
 - Both found in Person Detail
 - Confidential Indicator
 - Using Indicator will ensure confidentiality preferences
 - Only two values 'Y' or 'N'
 - Deceased Indicator
 - Used to prevent mailing to deceased students, alumni, etc.
 - Only two values 'Y' or 'N'



- ALANA
 - Stands for African American Latino Native American
- Do not use Primary_Ethnicity (in Person Detail)
- Use either Person Sensitive Race or Person Sensitive Race Slot



- ALANA
 - Function F_KSU_GET_ETHN
 - Logic: Returns a custom KSU race/ethn value based on person_uid.
 - ASIAN
 - HIS-LAT
 - NAT-AM
 - AFR-AM
 - CAUC
 - PACIFIC
 - INTL
 - NR
 - MR-ALANA
 - MR -OTH